

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

900237

A9635877

Comments: ATTN: DANIELE HEON FAX: 1-403-393-6232

CERTIFICATE

A9635877

(MZQ) - YUKON ECONOMIC DEVELOPMENT

Project: 201003-099
P.O.#:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 24-OCT-96.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	74	Geochem ring to approx 150 mesh
226	74	0-3 Kg crush and split
3202	74	Rock - save entire reject
229	74	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	74	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	74	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	74	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	74	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	74	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	74	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	74	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	74	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	74	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	74	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	74	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	74	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	74	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	74	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	74	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	74	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	74	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	74	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	74	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	74	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	74	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	74	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	74	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	74	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	74	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	74	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	74	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	74	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	74	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	74	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	74	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	74	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	74	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

~*

Page Number : 1-A
Total Pages : 2
Certificate Date: 24-OCT-96
Invoice No. : I9635877
P.O. Number :
Account : MZQ

Project : 201003-099
Comments: ATTN: DANIELE HEON FAX: 1-403-393-6232


CERTIFICATE OF ANALYSIS

A9635877

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
96 HR-1	205 226	< 5	< 0.2	0.01	2	170	< 0.5	< 2	11.40	0.5	< 1	112	4	0.14	< 10	< 1	< 0.01	< 10	0.09	20
96 HR-2	205 226	< 5	< 0.2	0.07	14	>10000	< 0.5	< 2	8.30	8.5	< 1	34	6	0.38	< 10	< 1	0.01	< 10	0.10	25
96 HR-3	205 226	< 5	< 0.2	0.01	2	350	< 0.5	< 2	>15.00	1.5	< 1	66	10	0.14	< 10	< 1	0.01	< 10	0.15	30
96 HR-4	205 226	< 5	< 0.2	0.88	12	2020	< 0.5	< 2	0.14	0.5	8	163	22	2.30	< 10	< 1	0.13	< 10	0.25	75
96 HR-5	205 226	< 5	< 0.2	1.31	2	920	< 0.5	< 2	0.10	< 0.5	5	59	52	2.62	< 10	< 1	0.16	< 10	0.25	60
96 HR-6A	205 226	< 5	< 0.2	1.00	16	360	< 0.5	< 2	0.06	< 0.5	3	23	34	1.14	< 10	< 1	0.31	< 10	0.12	15
96 HR-6B	205 226	< 5	< 0.2	1.82	36	70	2.5	< 2	0.65	< 0.5	19	25	231	11.55	< 10	< 1	0.26	< 10	0.21	185
96 HR-7A	205 226	< 5	< 0.2	0.29	8	130	< 0.5	< 2	0.82	< 0.5	4	172	6	9.15	< 10	< 1	0.06	< 10	0.39	380
96 HR-7B	205 226	< 5	0.2	0.13	114	< 10	< 0.5	< 2	0.01	< 0.5	5	72	8	>15.00	< 10	2	0.03	< 10	< 0.01	< 5
96 HR-7C	205 226	< 5	< 0.2	0.06	26	< 10	< 0.5	< 2	0.03	< 0.5	3	39	11	>15.00	< 10	1	0.01	< 10	< 0.01	< 5
96 HR-8	205 226	< 5	0.4	1.92	18	430	< 0.5	< 2	0.03	< 0.5	4	72	23	4.47	< 10	< 1	0.12	< 10	0.24	25
96 HR-9	205 226	< 5	< 0.2	0.38	4	110	0.5	< 2	0.28	< 0.5	7	90	14	5.77	< 10	< 1	0.08	< 10	0.19	310
96 HR-10	205 226	< 5	< 0.2	0.53	< 2	1010	< 0.5	< 2	6.61	0.5	4	36	14	2.94	< 10	< 1	0.18	< 10	3.02	935
96 HR-11	205 226	< 5	0.2	0.16	24	300	< 0.5	< 2	< 0.01	< 0.5	< 1	147	20	1.66	< 10	< 1	0.09	< 10	< 0.01	5
96 HR-12	205 226	< 5	1.0	0.23	< 2	80	< 0.5	< 2	>15.00	1.0	< 1	53	12	0.41	< 10	< 1	0.09	< 10	0.25	45
96 HR-13A	205 226	< 5	4.0	0.35	6	100	< 0.5	< 2	>15.00	21.0	1	120	38	0.46	< 10	< 1	0.14	10	0.18	30
96 HR-13B	205 226	< 5	1.6	2.70	10	280	0.5	< 2	3.41	0.5	1	159	19	1.11	< 10	< 1	0.44	20	0.17	25
96 HR-14A	205 226	< 5	1.2	2.02	20	90	1.0	< 2	5.51	< 0.5	4	87	16	2.10	< 10	< 1	0.28	20	0.13	20
96 HR-14B	205 226	< 5	6.6	1.88	50	90	0.5	< 2	6.12	5.0	3	253	62	2.75	< 10	< 1	0.34	30	0.16	20
96 HR-14C	205 226	< 5	5.2	0.78	32	70	< 0.5	< 2	11.95	17.0	1	112	42	0.48	< 10	< 1	0.18	20	0.41	25
96 HR-15	205 226	< 5	< 0.2	0.10	< 2	30	< 0.5	< 2	14.30	< 0.5	< 1	35	1	0.22	< 10	< 1	0.03	< 10	0.61	15
96 HR-16	205 226	< 5	< 0.2	0.51	6	380	0.5	< 2	0.99	< 0.5	6	69	26	13.15	< 10	1	0.10	< 10	1.11	1390
96 HR-17	205 226	< 5	< 0.2	0.93	8	400	< 0.5	< 2	0.10	0.5	5	40	27	1.49	< 10	< 1	0.20	< 10	0.21	35
96 HR-19	205 226	< 5	< 0.2	0.66	8	660	< 0.5	< 2	0.01	< 0.5	< 1	62	21	0.98	< 10	< 1	0.17	< 10	0.09	15
96 HR-20	205 226	< 5	< 0.2	1.68	12	220	0.5	< 2	0.48	0.5	19	38	55	2.64	< 10	< 1	0.28	< 10	0.76	130
96 HR-21	205 226	< 5	< 0.2	0.20	4	520	< 0.5	< 2	0.46	< 0.5	4	159	12	2.11	< 10	< 1	0.06	< 10	0.23	145
96 HR-22	205 226	< 5	< 0.2	0.25	6	700	< 0.5	< 2	0.01	< 0.5	< 1	169	9	0.94	< 10	< 1	0.07	< 10	0.01	5
96 HR-23A	205 226	< 5	< 0.2	0.46	6	1280	< 0.5	< 2	0.01	< 0.5	< 1	80	5	0.52	< 10	< 1	0.15	< 10	0.03	5
96 HR-23B	205 226	< 5	< 0.2	0.50	8	840	< 0.5	< 2	< 0.01	< 0.5	2	101	10	1.02	< 10	< 1	0.14	< 10	0.03	5
96 HR-24	205 226	< 5	< 0.2	0.58	2	950	< 0.5	< 2	< 0.01	< 0.5	< 1	84	9	0.53	< 10	< 1	0.16	< 10	0.05	5
96 HR-25	205 226	< 5	< 0.2	0.29	4	460	< 0.5	< 2	< 0.01	< 0.5	< 1	186	6	0.99	< 10	< 1	0.06	< 10	0.01	10
96 HR-26	205 226	< 5	< 0.2	0.55	2	980	< 0.5	< 2	0.02	0.5	1	144	16	0.63	< 10	< 1	0.11	< 10	0.09	15
96 HR-27	205 226	< 5	< 0.2	0.21	8	790	< 0.5	< 2	< 0.01	< 0.5	< 1	159	10	1.43	< 10	< 1	0.05	< 10	0.01	5
96 HR-28	205 226	< 5	< 0.2	0.61	< 2	320	< 0.5	< 2	< 0.01	< 0.5	< 1	105	10	0.41	< 10	< 1	0.13	< 10	0.05	5
96 HR-29	205 226	< 5	< 0.2	1.73	16	100	0.5	< 2	0.49	0.5	13	29	71	2.31	< 10	< 1	0.40	< 10	0.57	85
96 HR-30	205 226	< 5	< 0.2	0.29	6	1260	< 0.5	< 2	0.04	< 0.5	1	127	6	1.46	< 10	< 1	0.06	< 10	0.03	25
96 HR-31A	205 226	< 5	< 0.2	1.37	16	120	0.5	< 2	0.09	< 0.5	7	37	37	2.56	< 10	< 1	0.48	< 10	0.25	50
96 HR-32	205 226	< 5	< 0.2	0.19	8	940	< 0.5	< 2	< 0.01	< 0.5	< 1	150	9	1.00	< 10	< 1	0.06	< 10	0.01	15
96 HR-33A	205 226	< 5	< 0.2	1.19	2	400	0.5	< 2	0.72	< 0.5	10	98	29	1.72	< 10	< 1	0.19	< 10	0.71	90
96 HR-33B	205 226	< 5	< 0.2	0.70	8	150	< 0.5	< 2	0.18	< 0.5	4	209	10	2.64	< 10	< 1	0.09	< 10	0.22	35

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

~*

Page Number :1-B
Total Pages :2
Certificate Date: 24-OCT-96
Invoice No. :I9635877
P.O. Number :
Account :MZQ

Project : 201003-099
Comments: ATTN: DANIELE HEON FAX: 1-403-393-6232


CERTIFICATE OF ANALYSIS

A9635877

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96 HR-1	205	226	3	< 0.01	44	160	< 2	< 2	< 1	127	< 0.01	< 10	< 10	6	< 10	34
96 HR-2	205	226	19	< 0.01	207	570	< 2	< 2	< 1	4630	< 0.01	< 10	< 10	99	< 10	50
96 HR-3	205	226	4	0.01	11	140	6	< 2	< 1	285	< 0.01	< 10	< 10	13	< 10	66
96 HR-4	205	226	4	< 0.01	93	350	8	< 2	3	53	< 0.01	< 10	< 10	31	< 10	180
96 HR-5	205	226	5	< 0.01	21	280	6	< 2	3	22	< 0.01	< 10	< 10	37	< 10	80
96 HR-6A	205	226	6	0.07	34	150	14	< 2	4	47	< 0.01	< 10	< 10	26	< 10	80
96 HR-6B	205	226	7	0.10	128	440	10	< 2	8	36	< 0.01	< 10	< 10	64	< 10	586
96 HR-7A	205	226	1	< 0.01	27	350	6	< 2	4	22	< 0.01	< 10	< 10	54	< 10	94
96 HR-7B	205	226	< 1	< 0.01	15	40	8	< 2	< 1	2	< 0.01	< 10	10	9	< 10	18
96 HR-7C	205	226	1	< 0.01	5	10	10	< 2	< 1	1	< 0.01	< 10	< 10	6	< 10	30
96 HR-8	205	226	< 1	0.01	37	260	14	< 2	3	22	< 0.01	< 10	< 10	109	< 10	172
96 HR-9	205	226	< 1	< 0.01	23	370	8	< 2	5	20	< 0.01	< 10	< 10	46	< 10	104
96 HR-10	205	226	< 1	0.01	17	260	10	< 2	2	316	< 0.01	< 10	< 10	11	< 10	62
96 HR-11	205	226	117	< 0.01	6	160	6	14	< 1	4	< 0.01	< 10	< 10	689	< 10	8
96 HR-12	205	226	< 1	0.03	12	1040	< 2	< 2	< 1	484	< 0.01	< 10	< 10	46	< 10	64
96 HR-13A	205	226	16	0.03	49	1330	4	< 2	2	536	< 0.01	< 10	< 10	113	< 10	710
96 HR-13B	205	226	3	0.06	43	1120	4	< 2	5	310	0.02	< 10	< 10	94	< 10	86
96 HR-14A	205	226	6	0.05	50	>10000	18	< 2	17	380	< 0.01	< 10	< 10	119	< 10	124
96 HR-14B	205	226	43	0.04	137	>10000	6	< 2	7	306	< 0.01	< 10	30	157	< 10	362
96 HR-14C	205	226	20	0.07	79	2560	2	< 2	4	515	< 0.01	< 10	< 10	369	< 10	284
96 HR-15	205	226	< 1	0.02	8	700	< 2	< 2	< 1	728	< 0.01	< 10	< 10	8	< 10	28
96 HR-16	205	226	< 1	< 0.01	21	440	8	< 2	4	30	< 0.01	< 10	< 10	25	< 10	82
96 HR-17	205	226	1	0.03	64	160	8	< 2	3	27	< 0.01	< 10	< 10	31	< 10	128
96 HR-19	205	226	3	0.01	8	110	10	< 2	1	15	< 0.01	< 10	< 10	33	< 10	38
96 HR-20	205	226	1	0.01	77	410	18	< 2	5	24	< 0.01	< 10	< 10	44	< 10	258
96 HR-21	205	226	1	< 0.01	25	80	4	< 2	1	52	< 0.01	< 10	< 10	12	< 10	80
96 HR-22	205	226	< 1	< 0.01	6	180	2	< 2	1	27	< 0.01	< 10	< 10	14	< 10	44
96 HR-23A	205	226	4	< 0.01	5	40	6	< 2	< 1	20	< 0.01	< 10	< 10	15	< 10	16
96 HR-23B	205	226	3	< 0.01	8	90	6	< 2	1	17	< 0.01	< 10	< 10	21	< 10	30
96 HR-24	205	226	< 1	0.03	7	60	6	< 2	1	25	< 0.01	< 10	< 10	18	< 10	24
96 HR-25	205	226	< 1	< 0.01	3	230	6	< 2	< 1	39	< 0.01	< 10	< 10	17	< 10	10
96 HR-26	205	226	< 1	< 0.01	11	200	6	< 2	1	18	< 0.01	< 10	< 10	21	< 10	50
96 HR-27	205	226	< 1	< 0.01	3	170	6	< 2	< 1	27	< 0.01	< 10	< 10	17	< 10	16
96 HR-28	205	226	< 1	< 0.01	8	100	6	< 2	1	29	< 0.01	< 10	< 10	17	< 10	18
96 HR-29	205	226	12	0.13	105	280	14	< 2	5	64	< 0.01	< 10	< 10	59	< 10	234
96 HR-30	205	226	1	< 0.01	10	200	6	< 2	< 1	36	< 0.01	< 10	< 10	16	< 10	40
96 HR-31A	205	226	10	0.04	43	120	14	< 2	4	53	< 0.01	< 10	< 10	48	< 10	84
96 HR-32	205	226	1	< 0.01	8	150	4	< 2	< 1	18	< 0.01	< 10	< 10	14	< 10	30
96 HR-33A	205	226	1	0.01	44	400	8	< 2	4	26	< 0.01	< 10	< 10	31	< 10	146
96 HR-33B	205	226	1	< 0.01	22	380	6	< 2	1	11	< 0.01	< 10	< 10	24	< 10	52

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

~*

Page Number :2-A
Total Pages :2
Certificate Date: 24-OCT-96
Invoice No. : I9635877
P.O. Number :
Account : MZQ


Project : 201003-099
Comments: ATTN: DANIELE HEON FAX: 1-403-393-6232

CERTIFICATE OF ANALYSIS A9635877

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
96 HR-36	205	226	< 5	< 0.2	1.18	2	130	< 0.5	< 2	0.74	< 0.5	8	111	19	2.18	< 10	< 1	0.14	< 10	0.65	95
96 HR-37	205	226	< 5	< 0.2	1.03	4	430	< 0.5	< 2	0.40	0.5	8	152	31	2.06	< 10	< 1	0.14	< 10	0.43	100
96 HR-38	205	226	< 5	< 0.2	0.19	6	70	< 0.5	< 2	0.03	< 0.5	5	159	6	1.74	< 10	< 1	0.04	< 10	0.04	70
96 HR-39	205	226	< 5	< 0.2	0.20	6	160	< 0.5	< 2	0.08	< 0.5	1	234	16	0.83	< 10	< 1	0.07	< 10	0.02	15
96 HR-40A	205	226	< 5	< 0.2	0.20	6	470	< 0.5	< 2	< 0.01	< 0.5	< 1	233	14	0.80	< 10	< 1	0.06	< 10	0.01	10
96 HR-40B	205	226	< 5	< 0.2	0.12	< 2	180	< 0.5	< 2	< 0.01	< 0.5	< 1	201	1	0.25	< 10	< 1	0.04	< 10	< 0.01	10
96 HR-41	205	226	< 5	< 0.2	1.16	6	460	< 0.5	< 2	0.07	0.5	6	62	43	2.20	< 10	< 1	0.20	< 10	0.27	40
96 HR-42	205	226	< 5	< 0.2	0.16	< 2	210	< 0.5	< 2	< 0.01	< 0.5	< 1	177	2	0.85	< 10	< 1	0.06	< 10	< 0.01	15
96 HR-43	205	226	< 5	< 0.2	0.18	< 2	100	< 0.5	< 2	< 0.01	< 0.5	< 1	162	2	0.31	< 10	< 1	0.04	< 10	0.01	15
96 HR-44	205	226	< 5	0.4	1.58	20	410	0.5	< 2	0.06	< 0.5	7	52	37	3.73	< 10	< 1	0.23	< 10	0.16	45
96 HR-45	205	226	< 5	< 0.2	1.87	14	560	0.5	< 2	0.07	< 0.5	4	37	26	3.93	< 10	< 1	0.19	< 10	0.20	20
96 HR-46A	205	226	< 5	0.2	0.29	6	180	< 0.5	< 2	0.03	< 0.5	< 1	48	14	4.19	< 10	< 1	0.10	< 10	0.01	35
96 HR-46B	205	226	< 5	< 0.2	0.15	12	220	< 0.5	< 2	< 0.01	< 0.5	1	152	17	0.99	< 10	< 1	0.05	< 10	0.01	15
96 HR-47	205	226	< 5	0.2	0.01	4	90	< 0.5	< 2	>15.00	29.0	1	5	1	1.19	< 10	1	0.01	< 10	0.17	465
96 HR-48	205	226	< 5	< 0.2	1.32	2	100	< 0.5	< 2	0.77	0.5	5	122	13	2.18	< 10	< 1	0.26	30	0.69	145
96 HR-49	205	226	< 5	< 0.2	0.03	< 2	320	< 0.5	< 2	>15.00	< 0.5	< 1	2	1	0.31	< 10	< 1	0.03	< 10	0.18	405
96 HR-50	205	226	< 5	< 0.2	1.05	2	130	< 0.5	< 2	0.07	0.5	7	120	14	2.55	< 10	< 1	0.22	30	0.35	160
96 HR-51A	205	226	< 5	< 0.2	0.99	4	340	< 0.5	< 2	0.49	0.5	9	126	27	5.34	< 10	< 1	0.13	< 10	0.51	310
96 HR-51B	205	226	< 5	< 0.2	1.86	6	440	0.5	< 2	0.61	0.5	24	47	72	5.71	< 10	< 1	0.28	< 10	0.69	560
96 HR-52A	205	226	< 5	< 0.2	1.17	< 2	1340	< 0.5	< 2	0.62	0.5	7	89	19	2.10	< 10	< 1	0.14	< 10	0.53	115
96 HR-52B	205	226	< 5	< 0.2	1.70	8	400	0.5	< 2	0.13	< 0.5	12	63	45	2.76	< 10	< 1	0.21	< 10	0.48	105
96 HR-53	205	226	< 5	< 0.2	0.67	< 2	100	< 0.5	< 2	0.05	< 0.5	1	163	4	0.95	< 10	< 1	0.05	< 10	0.01	15
96 HR-54A	205	226	< 5	0.2	2.65	14	480	0.5	< 2	0.04	< 0.5	6	50	33	4.18	< 10	< 1	0.30	< 10	0.39	30
96 HR-54B	205	226	< 5	< 0.2	0.65	20	100	< 0.5	< 2	0.03	< 0.5	1	140	6	1.63	< 10	< 1	0.06	< 10	0.11	10
96 HR-55	205	226	< 5	< 0.2	1.28	32	130	0.5	< 2	1.34	< 0.5	7	54	18	9.86	< 10	< 1	0.30	< 10	0.65	160
96 HR-57	205	226	< 5	< 0.2	0.90	16	220	0.5	< 2	0.22	< 0.5	1	21	60	5.98	< 10	< 1	0.28	< 10	0.27	130
96 HR-58	205	226	< 5	< 0.2	0.31	12	640	< 0.5	< 2	0.01	< 0.5	< 1	184	6	1.44	< 10	< 1	0.08	< 10	0.01	20
96 HR-59	205	226	< 5	< 0.2	0.27	< 2	480	< 0.5	< 2	< 0.01	< 0.5	< 1	198	7	0.74	< 10	< 1	0.08	< 10	0.02	5
96 HR-60	205	226	< 5	< 0.2	0.44	12	610	< 0.5	< 2	< 0.01	< 0.5	< 1	139	10	0.71	< 10	< 1	0.12	< 10	0.03	5
96 HR-61	205	226	< 5	< 0.2	0.98	18	310	< 0.5	< 2	0.23	< 0.5	< 1	29	10	1.55	< 10	< 1	0.35	< 10	0.08	< 5
96 HR-62	205	226	< 5	0.2	2.31	18	280	0.5	< 2	0.07	< 0.5	8	41	35	3.28	< 10	< 1	0.24	< 10	0.42	30
96 HR-63	205	226	< 5	0.2	1.07	2	630	< 0.5	< 2	1.40	1.0	8	88	33	2.06	< 10	< 1	0.19	< 10	0.54	495
96 HR-64	205	226	< 5	0.2	0.95	24	1280	< 0.5	< 2	0.29	0.5	6	134	22	1.78	< 10	< 1	0.17	< 10	0.34	140
96 HR-65	205	226	< 5	< 0.2	0.12	< 2	70	< 0.5	< 2	>15.00	< 0.5	< 1	24	< 1	0.11	< 10	< 1	0.03	< 10	0.68	15

CERTIFICATION:

Daniele Heon



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

~*

Page Number :2-B
Total Pages :2
Certificate Date: 24-OCT-96
Invoice No. : I9635877
P.O. Number :
Account : MZQ

Project : 201003-099
Comments: ATTN: DANIELE HEON FAX: 1-403-393-6232


CERTIFICATE OF ANALYSIS

A9635877

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
96 HR-36	205 226	< 1	0.01	37	370	8	< 2	3	20	< 0.01	< 10	< 10	48	< 10	130
96 HR-37	205 226	1	< 0.01	42	540	8	< 2	2	20	< 0.01	< 10	< 10	51	< 10	166
96 HR-38	205 226	< 1	0.01	15	150	4	< 2	< 1	10	< 0.01	< 10	< 10	14	< 10	58
96 HR-39	205 226	< 1	0.04	6	320	6	< 2	< 1	16	< 0.01	< 10	< 10	22	< 10	18
96 HR-40A	205 226	1	< 0.01	4	110	4	< 2	< 1	26	< 0.01	< 10	< 10	27	< 10	6
96 HR-40B	205 226	< 1	< 0.01	3	70	2	< 2	< 1	12	< 0.01	< 10	< 10	10	< 10	< 2
96 HR-41	205 226	1	< 0.01	27	480	10	< 2	5	19	< 0.01	< 10	< 10	32	< 10	138
96 HR-42	205 226	< 1	< 0.01	3	80	4	< 2	< 1	13	< 0.01	< 10	< 10	11	< 10	2
96 HR-43	205 226	< 1	< 0.01	3	60	2	< 2	< 1	7	< 0.01	< 10	< 10	17	< 10	4
96 HR-44	205 226	< 1	0.06	28	660	18	< 2	4	33	< 0.01	< 10	< 10	80	< 10	142
96 HR-45	205 226	< 1	0.02	38	1210	20	< 2	6	37	< 0.01	< 10	< 10	82	< 10	100
96 HR-46A	205 226	11	< 0.01	11	100	4	< 2	< 1	3	< 0.01	< 10	< 10	107	< 10	58
96 HR-46B	205 226	17	< 0.01	21	50	2	< 2	< 1	4	< 0.01	< 10	< 10	67	< 10	6
96 HR-47	205 226	< 1	< 0.01	7	< 10	64	< 2	< 1	238	< 0.01	< 10	< 10	< 1	< 10	7700
96 HR-48	205 226	< 1	< 0.01	11	230	10	< 2	1	6	< 0.01	< 10	< 10	9	< 10	134
96 HR-49	205 226	< 1	0.01	< 1	< 10	38	< 2	< 1	342	< 0.01	< 10	< 10	< 1	< 10	62
96 HR-50	205 226	< 1	0.01	13	180	24	< 2	1	7	< 0.01	< 10	< 10	9	< 10	182
96 HR-51A	205 226	1	< 0.01	38	640	10	< 2	4	29	< 0.01	< 10	< 10	31	< 10	172
96 HR-51B	205 226	1	0.01	59	690	16	< 2	7	39	< 0.01	< 10	< 10	48	< 10	216
96 HR-52A	205 226	< 1	< 0.01	34	420	8	< 2	4	41	< 0.01	< 10	< 10	34	< 10	126
96 HR-52B	205 226	2	< 0.01	51	360	16	< 2	5	22	< 0.01	< 10	< 10	44	< 10	198
96 HR-53	205 226	< 1	< 0.01	18	280	2	< 2	1	18	< 0.01	< 10	< 10	17	< 10	68
96 HR-54A	205 226	< 1	0.03	39	140	20	< 2	5	26	< 0.01	< 10	< 10	89	< 10	126
96 HR-54B	205 226	< 1	0.02	10	60	2	< 2	1	7	< 0.01	< 10	< 10	34	< 10	44
96 HR-55	205 226	1	0.07	27	3520	18	< 2	4	90	< 0.01	< 10	< 10	87	< 10	124
96 HR-57	205 226	6	0.01	12	220	12	< 2	6	37	< 0.01	< 10	< 10	43	< 10	26
96 HR-58	205 226	< 1	< 0.01	3	1460	6	< 2	< 1	96	< 0.01	< 10	< 10	44	< 10	6
96 HR-59	205 226	< 1	< 0.01	4	90	4	< 2	< 1	20	< 0.01	< 10	< 10	13	< 10	10
96 HR-60	205 226	2	0.01	4	70	8	< 2	< 1	17	< 0.01	< 10	< 10	18	< 10	8
96 HR-61	205 226	11	0.04	26	150	14	< 2	2	42	< 0.01	< 10	< 10	67	< 10	38
96 HR-62	205 226	< 1	0.13	39	130	18	< 2	5	39	< 0.01	< 10	< 10	94	< 10	178
96 HR-63	205 226	4	0.01	34	1020	8	< 2	4	68	< 0.01	< 10	< 10	42	< 10	134
96 HR-64	205 226	5	0.03	33	1280	8	< 2	3	39	< 0.01	< 10	< 10	46	< 10	84
96 HR-65	205 226	< 1	0.03	3	270	< 2	< 2	< 1	1100	< 0.01	< 10	< 10	7	< 10	20

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

JR* -1 -> HR05

INVOICE NUMBER I 9 6 3 5 8 7 7

BILLING INFORMATION

Date: 24-OCT-96
Project: 201003-099
P.O. No.:
Account: MZQ

Comments: LT533LNQ.96Q

Billing: For analysis performed on
Certificate A9635877

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

COPY

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
74	205 - Geochem ring to approx 150 mesh EX-1 Package 0-3 Kg crush and split	2.50 16.75 2.60		1616.90
Total Cost \$				1616.90
Client Discount (20%) \$				-323.38
TOTAL PAYABLE (CDN) \$				1293.52