

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

900259

A9527820

Comments: ATTN:DANIELE HEON

CERTIFICATE

A9527820

(MZQ) - YUKON ECONOMIC DEVELOPMENT

Project: 201003 0207 99
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 26-SEP-95.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	178	Geochem ring to approx 150 mesh
226	178	0-3 Kg crush and split
3204	178	Save 1 Kg reject for 90 days
229	178	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	178	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	178	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	178	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	178	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	178	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	178	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	178	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	178	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	178	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	178	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	178	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	178	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	178	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	178	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	178	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	178	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	178	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	178	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	178	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	178	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	178	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	178	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	178	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	178	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	178	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	178	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	178	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	178	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	178	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	178	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	178	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	178	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	178	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**


Page Number : 1-A
 Total Pages : 5
 Certificate Date: 26-SEP-95
 Invoice No. : 19527820
 P.O. Number :
 Account : MZQ

Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS A9527820

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
95DH-7	205	226	< 5	< 0.2	0.84	6	130	< 0.5	< 2	0.09	< 0.5	8	185	14	3.39	< 10	< 1	0.10	< 10	0.24	180
95DH-11	205	226	< 5	1.2	1.46	62	160	1.0	< 2	2.67	12.0	1	56	74	3.78	< 10	< 1	0.43	20	0.15	15
95DH13B	205	226	< 5	0.2	1.69	532	200	0.5	< 2	0.14	14.5	< 1	150	47	3.05	< 10	< 1	0.67	< 10	0.02	5
95DH-14	205	226	< 5	< 0.2	2.38	12	110	1.0	< 2	6.66	2.5	139	54	70	5.55	< 10	< 1	0.08	< 10	1.36	4330
95DH-15A	205	226	< 5	0.6	0.81	48	30	0.5	< 2	8.95	9.0	11	52	78	3.77	< 10	< 1	0.22	< 10	0.89	215
95DH-15B	205	226	< 5	< 0.2	0.11	4	220	< 0.5	< 2	>15.00	1.5	1	5	13	0.27	< 10	< 1	0.02	10	0.15	395
95DH-16A	205	226	< 5	0.6	0.68	16	60	0.5	< 2	2.60	1.0	12	57	68	2.71	< 10	< 1	0.26	< 10	1.28	135
95DH-16B	205	226	< 5	0.4	0.24	16	60	< 0.5	< 2	12.65	< 0.5	3	21	36	3.05	< 10	< 1	0.08	< 10	6.72	655
95DH-16C	205	226	< 5	0.6	0.35	14	230	< 0.5	< 2	12.30	1.5	18	28	65	3.22	< 10	1	0.13	< 10	1.63	505
95DH-17	205	226	< 5	0.4	0.20	4	600	< 0.5	< 2	0.11	< 0.5	< 1	41	5	0.38	< 10	< 1	0.11	< 10	0.03	5
95DH-18	205	226	< 5	< 0.2	0.11	2	100	< 0.5	2	>15.00	< 0.5	2	14	6	0.69	< 10	< 1	0.03	10	0.38	245
95DH-19	205	226	< 5	2.4	0.53	60	110	< 0.5	< 2	4.63	31.0	45	74	124	2.87	< 10	< 1	0.09	< 10	0.37	305
95DH-20	205	226	< 5	3.2	0.34	86	160	< 0.5	< 2	3.99	16.5	6	76	309	2.23	< 10	< 1	0.10	< 10	0.57	80
95DH-023	205	226	< 5	0.8	0.71	56	50	0.5	< 2	5.28	24.0	3	70	107	4.90	< 10	< 1	0.16	< 10	0.76	85
95DH-024	205	226	< 5	0.6	0.81	32	690	0.5	< 2	4.88	28.0	3	71	98	0.93	< 10	< 1	0.19	< 10	0.85	70
95DH-025	205	226	< 5	1.2	1.72	114	10	1.0	< 2	4.07	17.0	2	77	254	6.14	< 10	< 1	0.34	< 10	0.65	80
95DH-026	205	226	< 5	0.8	1.33	54	30	1.0	< 2	4.32	15.5	3	70	120	4.03	< 10	< 1	0.27	< 10	0.58	60
95DH-027	205	226	< 5	0.6	1.45	58	20	1.5	< 2	4.01	20.5	3	76	143	4.64	< 10	< 1	0.29	< 10	0.64	60
95DH-028	205	226	< 5	1.0	0.93	62	80	0.5	< 2	4.13	22.0	3	59	104	1.86	< 10	1	0.22	< 10	0.85	75
95DH-029	205	226	< 5	0.6	0.92	56	70	1.0	< 2	3.48	19.5	3	66	189	3.33	< 10	1	0.23	< 10	0.71	50
95DH-030	205	226	< 5	0.8	1.16	54	60	0.5	< 2	3.37	21.5	2	73	144	2.60	< 10	< 1	0.29	< 10	0.53	45
95DH-031	205	226	< 5	1.8	2.06	142	10	3.5	< 2	0.79	3.5	1	133	495	11.05	< 10	< 1	0.42	< 10	0.07	10
95DH-032	205	226	< 5	1.4	1.68	66	10	1.0	< 2	0.54	2.5	< 1	117	149	7.19	< 10	< 1	0.44	< 10	0.06	10
95DH-033	205	226	< 5	0.8	1.27	82	10	2.0	< 2	3.42	17.5	2	76	194	5.96	< 10	1	0.23	< 10	0.55	55
95DH-034	205	226	< 5	0.8	1.59	64	10	0.5	2	4.93	47.0	4	90	178	2.96	< 10	< 1	0.34	< 10	0.78	80
95DH-035	205	226	< 5	1.2	1.11	38	40	1.0	< 2	3.08	38.0	2	90	130	1.25	< 10	1	0.26	< 10	0.40	40
95DH-036	205	226	< 5	0.8	1.06	86	30	1.0	< 2	1.79	40.5	1	77	91	2.35	< 10	1	0.28	< 10	0.24	15
95DH-037	205	226	< 5	1.0	0.94	42	40	0.5	< 2	3.23	41.0	2	76	114	1.93	< 10	< 1	0.23	< 10	0.50	55
95DH-038	205	226	< 5	< 0.2	0.18	< 2	360	< 0.5	< 2	0.01	< 0.5	< 1	235	7	0.50	< 10	< 1	0.05	< 10	< 0.01	5
95DH-039	205	226	< 5	< 0.2	1.97	34	450	1.0	< 2	< 0.01	< 0.5	3	330	21	5.55	< 10	< 1	0.07	< 10	0.01	40
95DH-040	205	226	< 5	< 0.2	0.18	< 2	150	< 0.5	< 2	< 0.01	< 0.5	< 1	112	1	0.28	< 10	< 1	0.06	< 10	0.01	5
95DH-041	205	226	< 5	< 0.2	2.07	18	60	1.0	< 2	< 0.01	< 0.5	6	91	197	>15.00	< 10	< 1	0.02	< 10	< 0.01	35
95DH-042	205	226	< 5	< 0.2	0.23	4	240	< 0.5	< 2	0.01	< 0.5	< 1	233	1	0.46	< 10	< 1	0.05	< 10	0.01	5
95DH-043	205	226	< 5	< 0.2	3.32	6	400	1.0	< 2	0.23	< 0.5	18	49	68	3.70	< 10	1	0.44	< 10	0.84	235
95DH-044	205	226	< 5	< 0.2	3.08	8	400	0.5	< 2	0.23	1.0	18	94	37	4.39	< 10	< 1	0.27	< 10	0.72	175
95DH-045	205	226	< 5	< 0.2	2.46	20	450	0.5	< 2	0.25	< 0.5	8	46	38	3.67	< 10	< 1	0.37	< 10	0.51	100
95DH-046	205	226	< 5	< 0.2	2.38	6	160	< 0.5	< 2	0.24	0.5	14	43	43	3.85	< 10	1	0.12	< 10	0.68	155
95DH-047	205	226	< 5	< 0.2	2.12	24	230	0.5	< 2	0.10	< 0.5	13	41	37	3.90	< 10	< 1	0.21	< 10	0.59	150
95DH-048	205	226	< 5	< 0.2	2.92	4	160	< 0.5	< 2	0.18	0.5	13	55	38	4.51	< 10	< 1	0.11	< 10	0.86	220
95DH-049	205	226	< 5	< 0.2	1.50	2	1100	< 0.5	< 2	0.94	< 0.5	4	30	25	2.26	< 10	< 1	0.21	20	1.05	350

CERTIFICATION: Hunter Becher



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**

Page Number : 1-B
 Total Pages : 5
 Certificate Date: 26-SEP-95
 Invoice No. : 19527820
 P.O. Number :
 Account : MZQ

Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON


CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
95DH-7	205	226	1	< 0.01	35	410	4	< 2	2	12	< 0.01	< 10	< 10	32	< 10	88
95DH-11	205	226	51	< 0.01	65	>10000	30	38	1	1035	0.04	< 10	10	2070	< 10	660
95DH13B	205	226	366	< 0.01	17	7820	2	46	24	1475	< 0.01	< 10	80	2610	< 10	72
95DH-14	205	226	2	< 0.01	413	260	10	< 2	9	338	< 0.01	< 10	< 10	62	< 10	916
95DH-15A	205	226	32	< 0.01	166	1610	14	6	4	516	< 0.01	< 10	10	290	< 10	654
95DH-15B	205	226	1	< 0.01	21	80	< 2	2	< 1	901	< 0.01	< 10	< 10	26	< 10	128
95DH-16A	205	226	3	< 0.01	73	970	10	4	7	237	< 0.01	< 10	< 10	82	< 10	250
95DH-16B	205	226	2	0.04	19	120	4	2	5	1190	< 0.01	< 10	< 10	58	< 10	78
95DH-16C	205	226	4	< 0.01	149	210	8	2	7	522	< 0.01	< 10	< 10	61	< 10	1415
95DH-17	205	226	24	< 0.01	14	20	2	< 2	< 1	22	< 0.01	< 10	< 10	95	< 10	8
95DH-18	205	226	1	< 0.01	8	2920	2	< 2	< 1	309	< 0.01	< 10	< 10	18	< 10	26
95DH-19	205	226	10	< 0.01	205	2760	20	8	6	542	< 0.01	< 10	10	668	< 10	1190
95DH-20	205	226	25	< 0.01	148	700	16	52	4	289	< 0.01	< 10	< 10	712	< 10	832
95DH-023	205	226	43	< 0.01	172	350	14	2	2	478	0.03	< 10	10	817	< 10	928
95DH-024	205	226	51	< 0.01	201	540	8	2	3	485	0.02	< 10	10	1225	< 10	1045
95DH-025	205	226	55	0.01	209	1780	18	6	2	175	0.03	< 10	10	1305	< 10	686
95DH-026	205	226	62	< 0.01	217	1310	22	12	3	273	0.02	< 10	10	1345	< 10	680
95DH-027	205	226	63	< 0.01	207	2230	22	14	3	248	0.03	< 10	10	1560	< 10	906
95DH-028	205	226	64	< 0.01	211	320	12	2	3	266	0.01	< 10	10	1190	< 10	956
95DH-029	205	226	54	< 0.01	197	1470	10	4	2	234	0.02	< 10	10	1295	< 10	1240
95DH-030	205	226	61	< 0.01	199	1140	16	6	3	181	0.03	< 10	10	1515	< 10	958
95DH-031	205	226	56	< 0.01	99	3630	24	12	< 1	38	0.07	< 10	< 10	1770	< 10	336
95DH-032	205	226	66	< 0.01	98	190	28	4	< 1	28	0.05	< 10	< 10	1325	< 10	200
95DH-033	205	226	69	< 0.01	222	1000	20	8	2	111	0.02	< 10	10	1435	< 10	1020
95DH-034	205	226	93	0.01	268	600	18	10	3	194	0.03	< 10	20	1785	< 10	2400
95DH-035	205	226	72	< 0.01	204	590	12	4	3	189	0.02	< 10	10	1840	< 10	1805
95DH-036	205	226	81	< 0.01	171	1370	12	10	3	172	0.03	< 10	10	1970	< 10	1155
95DH-037	205	226	52	< 0.01	171	1770	12	6	3	261	0.03	< 10	10	1695	< 10	1150
95DH-038	205	226	1	< 0.01	3	140	2	< 2	< 1	24	< 0.01	< 10	< 10	37	< 10	6
95DH-039	205	226	1	< 0.01	37	2910	2	< 2	4	57	< 0.01	< 10	< 10	128	< 10	134
95DH-040	205	226	< 1	< 0.01	1	120	< 2	< 2	< 1	22	< 0.01	< 10	< 10	16	< 10	4
95DH-041	205	226	< 1	< 0.01	70	620	2	< 2	9	13	< 0.01	< 10	< 10	235	< 10	484
95DH-042	205	226	< 1	< 0.01	3	340	2	< 2	< 1	35	< 0.01	< 10	< 10	19	< 10	2
95DH-043	205	226	2	0.01	58	580	16	< 2	7	62	< 0.01	< 10	< 10	89	< 10	160
95DH-044	205	226	2	0.01	69	650	18	< 2	5	42	< 0.01	< 10	< 10	92	< 10	292
95DH-045	205	226	2	0.01	38	410	30	< 2	6	53	< 0.01	< 10	< 10	77	< 10	110
95DH-046	205	226	1	< 0.01	93	620	6	< 2	5	17	< 0.01	< 10	< 10	53	< 10	228
95DH-047	205	226	1	< 0.01	46	430	34	< 2	6	27	< 0.01	< 10	< 10	50	< 10	92
95DH-048	205	226	< 1	< 0.01	47	570	2	< 2	5	16	< 0.01	< 10	< 10	56	< 10	180
95DH-049	205	226	< 1	< 0.01	22	290	4	< 2	3	50	< 0.01	< 10	< 10	21	< 10	46

CERTIFICATION:

Hank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**


Page Number :2-A
 Total Pages :5
 Certificate Date: 26-SEP-95
 Invoice No. : I9527820
 P.O. Number :
 Account : MZQ

Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS A9527820

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
95DH-050	205	226	< 5	< 0.2	0.86	2	2020	< 0.5	2	9.16	< 0.5	3	19	19	4.20	< 10	< 1	0.14	10	3.70	1885
95DH-051	205	226	< 5	< 0.2	0.04	< 2	110	< 0.5	2	9.95	1.0	< 1	122	24	0.16	< 10	2	0.02	< 10	5.96	130
95DH-052	205	226	< 5	< 0.2	0.03	2	580	< 0.5	2	>15.00	8.5	< 1	62	12	0.13	< 10	1	0.01	< 10	0.55	65
95DH-053	205	226	80	1.4	0.01	6	60	< 0.5	< 2	>15.00	1.0	< 1	58	6810	0.87	< 10	1	< 0.01	< 10	1.23	380
95DH-054	205	226	< 5	0.4	< 0.01	2	40	< 0.5	2	>15.00	< 0.5	< 1	17	1670	0.63	< 10	1	< 0.01	< 10	3.80	1205
95DH-055	205	226	< 5	< 0.2	0.03	2	50	< 0.5	2	>15.00	< 0.5	< 1	14	13	0.26	< 10	1	0.02	< 10	3.69	145
95DH-056	205	226	< 5	< 0.2	0.01	< 2	90	< 0.5	< 2	>15.00	< 0.5	< 1	1	55	0.13	< 10	1	< 0.01	< 10	0.33	140
95DH-057	205	226	< 5	< 0.2	0.11	< 2	280	< 0.5	< 2	>15.00	< 0.5	< 1	6	6	0.12	< 10	3	0.02	< 10	0.49	190
95DH-058	205	226	< 5	< 0.2	0.06	4	580	< 0.5	< 2	>15.00	< 0.5	< 1	7	9	0.22	< 10	3	0.01	10	0.28	125
95DH-059	205	226	< 5	< 0.2	0.89	2	970	< 0.5	< 2	1.07	< 0.5	4	27	35	1.47	< 10	< 1	0.17	20	0.40	95
95DH-060	205	226	< 5	< 0.2	0.28	14	380	< 0.5	< 2	0.04	0.5	< 1	63	44	0.73	< 10	1	0.15	< 10	0.01	< 5
95DH-061	205	226	< 5	0.2	0.78	24	220	< 0.5	< 2	0.41	1.0	1	30	44	1.60	< 10	< 1	0.27	< 10	0.06	5
95DH-062	205	226	< 5	< 0.2	0.46	16	120	< 0.5	< 2	13.75	< 0.5	6	13	8	3.28	< 10	2	0.10	< 10	0.38	435
95DH-063	205	226	< 5	< 0.2	0.15	2	430	< 0.5	< 2	0.15	< 0.5	< 1	311	10	0.37	< 10	< 1	0.04	< 10	< 0.01	15
95DH-064	205	226	< 5	0.4	0.23	4	780	< 0.5	< 2	0.02	< 0.5	< 1	212	4	0.56	< 10	2	0.10	< 10	0.01	10
95DH-065	205	226	< 5	0.4	0.18	22	470	< 0.5	< 2	0.09	< 0.5	< 1	301	3	1.02	< 10	2	0.12	< 10	0.01	10
95DH-066	205	226	< 5	0.6	1.25	8	130	< 0.5	< 2	0.07	1.5	< 1	210	2	0.58	< 10	2	0.50	< 10	< 0.01	5
95DH-067	205	226	< 5	1.6	0.35	74	200	< 0.5	< 2	0.01	< 0.5	< 1	175	7	4.82	< 10	< 1	0.53	< 10	0.02	5
95DH-068	205	226	< 5	0.6	0.29	4430	80	< 0.5	4	< 0.01	< 0.5	< 1	103	4	>15.00	< 10	3	0.18	< 10	0.01	< 5
95DH-069	205	226	< 5	0.2	1.80	54	150	0.5	< 2	0.25	< 0.5	< 1	314	13	1.42	10	2	0.58	< 10	< 0.01	5
95DH-070	205	226	15	3.4	0.32	682	220	< 0.5	< 2	0.01	< 0.5	< 1	206	2	3.32	< 10	2	0.28	< 10	0.02	5
95DH-071	205	226	5	1.0	0.42	1510	130	< 0.5	2	0.01	< 0.5	< 1	93	14	14.80	< 10	2	0.31	< 10	0.02	5
95DH-072	205	226	< 5	1.2	0.71	38	200	< 0.5	< 2	0.06	< 0.5	< 1	113	10	2.16	< 10	< 1	0.42	< 10	0.02	< 5
95DH-073	205	226	< 5	0.8	0.12	6	770	< 0.5	< 2	< 0.01	4.5	< 1	348	16	0.41	< 10	3	0.04	< 10	< 0.01	10
95DH-074	205	226	< 5	0.2	0.91	184	590	0.5	< 2	0.02	< 0.5	1	177	55	4.58	< 10	1	0.11	< 10	< 0.01	5
95DH-075	205	226	< 5	0.6	0.60	22	550	< 0.5	< 2	0.12	< 0.5	< 1	216	25	0.89	< 10	1	0.14	< 10	0.01	5
95DH-076	205	226	< 5	0.2	0.21	6	330	< 0.5	< 2	0.06	< 0.5	< 1	196	9	0.63	< 10	< 1	0.06	< 10	< 0.01	5
95DH-077	205	226	< 5	0.2	2.19	16	330	< 0.5	< 2	0.04	< 0.5	7	55	42	4.63	< 10	< 1	0.18	< 10	0.64	140
95DH-078	205	226	< 5	0.8	0.77	32	10	0.5	< 2	6.05	56.5	2	71	90	1.04	< 10	2	0.22	< 10	0.90	65
95DH-079	205	226	< 5	0.8	0.66	26	40	0.5	< 2	6.27	21.5	2	58	86	0.89	< 10	1	0.17	< 10	2.37	190
95DH-080	205	226	< 5	0.8	0.41	8	1050	< 0.5	< 2	0.02	1.0	< 1	52	47	0.24	< 10	1	0.15	< 10	0.03	< 5
95DH-081	205	226	< 5	0.2	0.22	28	290	< 0.5	< 2	0.01	< 0.5	< 1	254	47	0.55	< 10	< 1	0.04	< 10	< 0.01	5
95DH-082	205	226	< 5	1.6	0.55	12	590	< 0.5	< 2	0.15	1.5	< 1	42	103	0.70	< 10	1	0.22	< 10	0.02	5
95DH-083	205	226	< 5	0.2	12.45	68	110	1.0	< 2	0.17	2.5	< 1	91	139	0.97	< 10	< 1	0.09	< 10	0.01	15
95DH-084	205	226	< 5	0.2	0.18	4	210	< 0.5	< 2	< 0.01	0.5	< 1	238	14	0.34	< 10	< 1	0.04	< 10	< 0.01	5
95DH-085	205	226	< 5	2.6	0.49	28	690	0.5	< 2	0.18	28.5	1	149	118	0.55	< 10	1	0.12	10	0.06	20
95DH-086	205	226	< 5	0.2	0.52	< 2	1100	< 0.5	< 2	0.13	< 0.5	2	221	11	0.93	< 10	1	0.12	< 10	0.13	55
95DH-087	205	226	< 5	< 0.2	0.01	< 2	150	< 0.5	< 2	>15.00	< 0.5	< 1	1	< 1	0.16	< 10	3	< 0.01	< 10	0.16	260
95DH-088	205	226	< 5	0.4	0.05	2	40	< 0.5	< 2	2.01	< 0.5	< 1	230	12	0.22	< 10	1	0.03	< 10	0.47	15
95DH-089	205	226	< 5	< 0.2	0.02	< 2	100	< 0.5	< 2	>15.00	< 0.5	< 1	14	1	0.17	< 10	< 1	< 0.01	< 10	0.98	40

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

**

Page Number :2-B
Total Pages :5
Certificate Date: 26-SEP-95
Invoice No. :19527820
P.O. Number :
Account :MZQ

Project : 201003 0207 99
Comments: ATTN:DANIELE HEON


CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
95DH-050	205	226	< 1	0.01	14	240	2	< 2	3	320	< 0.01	< 10	< 10	14	< 10	74
95DH-051	205	226	3	< 0.01	4	1230	< 2	< 2	< 1	38	< 0.01	< 10	< 10	53	< 10	66
95DH-052	205	226	2	< 0.01	15	190	< 2	< 2	< 1	454	< 0.01	< 10	< 10	49	< 10	336
95DH-053	205	226	< 1	< 0.01	1	120	4	2	< 1	424	< 0.01	< 10	< 10	31	< 10	84
95DH-054	205	226	< 1	< 0.01	< 1	10	< 2	< 2	< 1	624	< 0.01	< 10	< 10	53	< 10	34
95DH-055	205	226	< 1	< 0.01	1	180	< 2	< 2	< 1	490	< 0.01	< 10	< 10	4	< 10	36
95DH-056	205	226	< 1	< 0.01	< 1	60	< 2	< 2	< 1	1340	< 0.01	< 10	< 10	3	< 10	18
95DH-057	205	226	< 1	< 0.01	1	610	< 2	2	< 1	1180	< 0.01	< 10	< 10	13	< 10	30
95DH-058	205	226	< 1	< 0.01	2	1390	< 2	2	< 1	834	< 0.01	< 10	< 10	29	< 10	34
95DH-059	205	226	< 1	< 0.01	19	370	6	< 2	2	43	< 0.01	< 10	< 10	20	< 10	50
95DH-060	205	226	36	< 0.01	28	140	4	< 2	2	37	< 0.01	< 10	< 10	96	< 10	6
95DH-061	205	226	6	0.12	23	250	14	< 2	3	44	< 0.01	< 10	< 10	132	< 10	92
95DH-062	205	226	< 1	0.02	15	2380	22	< 2	3	395	< 0.01	< 10	< 10	17	< 10	42
95DH-063	205	226	17	< 0.01	6	420	2	< 2	3	113	< 0.01	< 10	< 10	76	< 10	2
95DH-064	205	226	15	< 0.01	16	180	6	< 2	1	64	< 0.01	< 10	< 10	117	< 10	20
95DH-065	205	226	24	< 0.01	7	320	2	< 2	1	32	< 0.01	< 10	< 10	61	< 10	< 2
95DH-066	205	226	13	< 0.01	6	1290	12	2	6	241	< 0.01	< 10	< 10	201	< 10	132
95DH-067	205	226	63	< 0.01	18	990	16	6	1	149	< 0.01	10	< 10	325	< 10	4
95DH-068	205	226	176	< 0.01	< 1	>10000	8	10	8	78	< 0.01	10	10	3550	< 10	8
95DH-069	205	226	45	0.02	7	4390	6	10	21	1770	< 0.01	10	20	637	< 10	20
95DH-070	205	226	46	< 0.01	5	2060	156	8	4	42	< 0.01	< 10	< 10	247	< 10	2
95DH-071	205	226	69	0.01	5	3540	8	4	6	66	< 0.01	10	10	1615	< 10	28
95DH-072	205	226	37	< 0.01	22	1530	16	6	6	526	< 0.01	10	10	338	< 10	4
95DH-073	205	226	7	< 0.01	6	210	16	< 2	2	108	< 0.01	< 10	< 10	37	< 10	276
95DH-074	205	226	20	0.02	41	2140	2	6	26	285	< 0.01	< 10	< 10	317	< 10	112
95DH-075	205	226	68	< 0.01	21	1680	18	2	4	550	< 0.01	< 10	10	318	< 10	12
95DH-076	205	226	26	< 0.01	8	600	2	< 2	1	177	< 0.01	< 10	< 10	135	< 10	4
95DH-077	205	226	3	0.02	32	480	18	< 2	8	23	< 0.01	< 10	< 10	48	< 10	88
95DH-078	205	226	69	0.01	206	390	4	2	2	224	< 0.01	< 10	< 10	1115	< 10	1525
95DH-079	205	226	55	0.01	163	410	6	< 2	3	346	0.03	< 10	< 10	1175	< 10	858
95DH-080	205	226	19	< 0.01	24	80	4	2	2	36	< 0.01	< 10	< 10	427	< 10	20
95DH-081	205	226	16	< 0.01	16	170	< 2	2	< 1	23	< 0.01	< 10	< 10	149	< 10	12
95DH-082	205	226	38	< 0.01	40	230	4	< 2	3	94	< 0.01	< 10	< 10	230	< 10	102
95DH-083	205	226	109	0.01	113	1790	2	8	17	585	< 0.01	< 10	20	388	< 10	186
95DH-084	205	226	11	< 0.01	19	30	< 2	< 2	< 1	15	< 0.01	< 10	< 10	81	< 10	14
95DH-085	205	226	42	< 0.01	101	170	12	14	2	24	< 0.01	< 10	< 10	1130	< 10	1040
95DH-086	205	226	1	< 0.01	14	240	2	< 2	1	12	< 0.01	< 10	< 10	16	< 10	32
95DH-087	205	226	< 1	< 0.01	< 1	10	< 2	< 2	< 1	1080	< 0.01	< 10	< 10	2	< 10	18
95DH-088	205	226	1	< 0.01	6	270	< 2	< 2	< 1	28	< 0.01	< 10	< 10	31	< 10	32
95DH-089	205	226	< 1	< 0.01	< 1	130	< 2	< 2	< 1	835	< 0.01	< 10	< 10	2	< 10	16

CERTIFICATION:

Dante Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**

Page Number : 3-A
 Total Pages : 5
 Certificate Date: 26-SEP-95
 Invoice No. : 19527820
 P.O. Number :
 Account : MZQ


Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS A9527820

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
95DH-090	205	226	< 5	< 0.2	0.01	4	60	< 0.5	< 2	>15.00	< 0.5	< 1	1	< 1	0.07	< 10	1	< 0.01	< 10	0.13	125
95DH-091	205	226	< 5	< 0.2	0.06	4	140	< 0.5	< 2	>15.00	0.5	< 1	13	7	0.11	< 10	3	< 0.01	< 10	0.18	100
95DH-092	205	226	< 5	< 0.2	0.06	2	120	< 0.5	< 2	>15.00	< 0.5	< 1	2	< 1	0.06	< 10	3	< 0.01	< 10	0.33	40
95DH-093	205	226	< 5	< 0.2	0.40	< 2	140	< 0.5	< 2	0.23	< 0.5	1	238	14	0.61	< 10	1	0.10	< 10	0.26	40
95DH-094	205	226	< 5	< 0.2	0.16	< 2	80	< 0.5	< 2	>15.00	< 0.5	4	16	15	0.77	< 10	< 1	0.03	40	0.23	340
95DH-095	205	226	< 5	< 0.2	0.02	< 2	80	< 0.5	< 2	>15.00	< 0.5	< 1	1	< 1	0.29	< 10	2	0.02	< 10	0.16	620
95DH-096	205	226	< 5	< 0.2	0.01	6	40	< 0.5	2	>15.00	< 0.5	< 1	2	1	0.28	< 10	1	0.01	< 10	0.27	550
95DH-097	205	226	< 5	10.0	0.96	2460	350	5.5	2	0.23	6.0	16	6	56	>15.00	< 10	2	0.03	10	0.04	2980
95DH-098	205	226	< 5	1.8	0.04	194	2740	< 0.5	2	>15.00	0.5	8	21	4	1.43	< 10	2	< 0.01	< 10	0.03	1195
95DH-099	205	226	< 5	0.2	0.01	6	2140	< 0.5	< 2	0.28	< 0.5	< 1	34	4	0.50	< 10	< 1	< 0.01	< 10	< 0.01	25
95DH-100	205	226	< 5	5.0	0.81	52	1860	< 0.5	2	0.35	17.0	69	26	21	>15.00	< 10	2	0.03	< 10	0.01	5790
95DH-101	205	226	< 5	2.8	0.13	6	600	< 0.5	< 2	2.51	0.5	4	69	10	0.96	< 10	2	0.03	< 10	0.01	1920
95DH-102	205	226	< 5	0.6	0.08	10	580	< 0.5	< 2	>15.00	< 0.5	2	1	1	0.88	< 10	< 1	0.06	< 10	0.12	580
95DH-103	205	226	< 5	< 0.2	0.23	< 2	300	< 0.5	2	>15.00	< 0.5	< 1	2	1	0.22	< 10	2	0.06	< 10	1.21	65
95DH-104	205	226	< 5	< 0.2	< 0.01	< 2	150	< 0.5	2	>15.00	< 0.5	< 1	< 1	< 1	0.16	< 10	2	< 0.01	< 10	0.23	90
95DH-105	205	226	< 5	< 0.2	0.02	< 2	270	< 0.5	< 2	>15.00	< 0.5	< 1	< 1	< 1	0.27	< 10	2	0.01	< 10	0.15	245
95DH-106	205	226	< 5	7.6	0.14	20	60	< 0.5	4	0.47	12.0	1	123	301	5.10	< 10	3	0.08	< 10	0.01	135
95DH-107	205	226	< 5	0.6	0.06	4	30	< 0.5	< 2	5.72	< 0.5	< 1	89	6	0.50	< 10	1	0.03	< 10	0.02	110
95DH-108	205	226	< 5	0.2	0.02	8	30	< 0.5	< 2	9.63	< 0.5	< 1	54	8	0.67	< 10	1	0.01	< 10	0.03	205
95DH-109	205	226	< 5	117.5	0.13	102	40	< 0.5	126	0.13	< 0.5	< 1	10	2310	>15.00	< 10	< 1	0.01	< 10	0.01	7240
95DH-110	205	226	< 5	4.2	< 0.01	12	40	< 0.5	2	>15.00	31.0	< 1	1	18	1.63	< 10	2	< 0.01	< 10	0.09	775
95DH-111	205	226	< 5	2.8	0.04	200	150	< 0.5	260	0.44	< 0.5	3	2	5370	>15.00	< 10	< 1	0.03	< 10	0.02	6160
95DH-112	205	226	< 5	< 0.2	0.07	10	200	< 0.5	2	>15.00	< 0.5	1	2	19	0.65	< 10	2	0.05	< 10	0.34	1005
95DH-113A	205	226	< 5	3.2	0.09	292	150	< 0.5	226	0.23	0.5	9	< 1	1370	>15.00	< 10	< 1	0.10	< 10	0.03	>10000
95DH-113B	205	226	< 5	< 0.2	1.18	2	530	0.5	2	0.98	< 0.5	6	78	33	2.21	< 10	< 1	0.21	20	0.67	270
95DH-114	205	226	< 5	< 0.2	0.08	2	780	< 0.5	< 2	0.80	< 0.5	4	167	4	1.01	< 10	2	0.01	< 10	0.39	395
95DH-115	205	226	< 5	0.2	0.09	4	390	< 0.5	2	2.70	< 0.5	2	132	26	0.66	< 10	< 1	0.03	< 10	1.50	135
95DH-116	205	226	< 5	< 0.2	0.44	2	80	< 0.5	< 2	0.03	< 0.5	1	80	3	0.56	< 10	1	0.27	10	0.02	15
95DH-118	205	226	< 5	< 0.2	0.05	2	150	< 0.5	4	>15.00	< 0.5	1	3	5	0.82	< 10	< 1	0.03	10	8.86	620
95DH-119	205	226	< 5	< 0.2	< 0.01	< 2	120	< 0.5	2	>15.00	< 0.5	< 1	1	< 1	0.03	< 10	2	< 0.01	< 10	0.15	130
95DH-121	205	226	< 5	< 0.2	0.01	2	30	< 0.5	< 2	>15.00	< 0.5	< 1	12	51	0.12	< 10	2	< 0.01	< 10	0.11	170
95DH-122	205	226	25	0.6	1.15	24	130	0.5	< 2	1.22	< 0.5	5	48	27	2.81	< 10	< 1	0.24	< 10	0.04	15
95DH-123	205	226	< 5	< 0.2	0.04	2	20	< 0.5	< 2	>15.00	< 0.5	< 1	11	1	0.08	< 10	2	0.01	< 10	0.19	5
95DH-124	205	226	< 5	0.2	0.69	14	340	< 0.5	< 2	0.22	0.5	5	123	17	1.23	< 10	1	0.14	< 10	0.19	125
95DH-126	205	226	< 5	0.6	0.41	14	760	0.5	< 2	0.32	7.0	< 1	168	66	0.43	< 10	1	0.08	< 10	0.04	10
95DH-127	205	226	< 5	< 0.2	0.08	2	4620	< 0.5	2	>15.00	0.5	< 1	6	1	0.65	< 10	1	0.02	< 10	1.46	200
95DH-128	205	226	< 5	< 0.2	1.92	< 2	80	0.5	2	1.60	< 0.5	9	42	30	4.06	< 10	1	0.46	10	1.22	160
95DH-129	205	226	< 5	0.4	0.36	12	30	< 0.5	4	>15.00	< 0.5	40	19	78	7.48	< 10	1	0.08	30	1.59	480
95DH-130	205	226	< 5	< 0.2	1.07	2	100	< 0.5	< 2	0.34	< 0.5	7	43	35	6.19	< 10	< 1	0.38	10	0.42	50
95DH-131	205	226	< 5	0.4	0.23	6	90	< 0.5	< 2	>15.00	< 0.5	24	18	13	5.59	< 10	< 1	0.06	20	0.88	330

CERTIFICATION:

Daniele Heon



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

**

Page Number :3-B
Total Pages :5
Certificate Date: 26-SEP-95
Invoice No. :19527820
P.O. Number :
Account :MZQ

Project : 201003 0207 99
Comments: ATTN:DANIELE HEON


CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
95DH-090	205 226	< 1	< 0.01	< 1	80	< 2	< 2	< 1	1070	< 0.01	< 10	< 10	1	< 10	16
95DH-091	205 226	< 1	< 0.01	< 1	150	< 2	< 2	< 1	885	< 0.01	< 10	< 10	3	< 10	38
95DH-092	205 226	< 1	< 0.01	< 1	350	< 2	< 2	< 1	733	< 0.01	< 10	< 10	4	< 10	18
95DH-093	205 226	< 1	< 0.01	10	130	< 2	< 2	1	8	< 0.01	< 10	< 10	10	< 10	20
95DH-094	205 226	< 1	0.01	11	960	4	< 2	3	137	< 0.01	< 10	< 10	11	< 10	70
95DH-095	205 226	< 1	< 0.01	< 1	90	14	< 2	< 1	192	< 0.01	< 10	< 10	< 1	< 10	18
95DH-096	205 226	< 1	< 0.01	< 1	20	4	< 2	< 1	172	< 0.01	< 10	< 10	< 1	< 10	34
95DH-097	205 226	3	< 0.01	56	270	56	14	2	7	< 0.01	< 10	10	4	< 10	594
95DH-098	205 226	< 1	< 0.01	17	10	270	< 2	< 1	166	< 0.01	< 10	< 10	1	< 10	174
95DH-099	205 226	< 1	< 0.01	1	20	40	< 2	< 1	129	< 0.01	< 10	< 10	< 1	< 10	28
95DH-100	205 226	12	0.01	218	310	326	12	< 1	20	< 0.01	< 10	< 10	2	60	8890
95DH-101	205 226	< 1	< 0.01	10	150	82	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	350
95DH-102	205 226	< 1	0.02	6	10	36	< 2	< 1	234	< 0.01	< 10	< 10	1	< 10	312
95DH-103	205 226	< 1	< 0.01	1	40	< 2	< 2	< 1	1095	< 0.01	< 10	< 10	3	< 10	22
95DH-104	205 226	< 1	< 0.01	< 1	< 10	< 2	< 2	< 1	476	< 0.01	< 10	< 10	< 1	< 10	18
95DH-105	205 226	< 1	< 0.01	< 1	< 10	< 2	< 2	< 1	519	< 0.01	< 10	< 10	1	< 10	22
95DH-106	205 226	2	< 0.01	7	120	7170	8	< 1	6	< 0.01	< 10	< 10	2	10	5990
95DH-107	205 226	< 1	< 0.01	1	30	44	2	< 1	33	< 0.01	< 10	< 10	4	< 10	174
95DH-108	205 226	< 1	< 0.01	1	30	52	< 2	< 1	55	< 0.01	< 10	< 10	2	< 10	192
95DH-109	205 226	3	< 0.01	1	60	>10000	134	< 1	14	< 0.01	< 10	10	2	< 10	390
95DH-110	205 226	1	0.01	2	10	446	4	< 1	161	< 0.01	< 10	< 10	< 1	20	7390
95DH-111	205 226	2	< 0.01	2	90	76	4	< 1	13	< 0.01	< 10	< 10	4	< 10	136
95DH-112	205 226	< 1	0.01	3	50	22	< 2	< 1	344	< 0.01	< 10	< 10	5	< 10	34
95DH-113A	205 226	< 1	< 0.01	11	90	138	< 2	1	56	< 0.01	< 10	< 10	4	< 10	302
95DH-113B	205 226	< 1	< 0.01	13	220	16	< 2	1	17	< 0.01	< 10	< 10	10	< 10	76
95DH-114	205 226	< 1	0.01	9	360	4	< 2	1	15	< 0.01	< 10	< 10	5	< 10	8
95DH-115	205 226	< 1	< 0.01	15	280	4	< 2	1	20	< 0.01	< 10	< 10	12	< 10	20
95DH-116	205 226	1	< 0.01	3	60	26	< 2	1	3	< 0.01	< 10	< 10	3	< 10	12
95DH-118	205 226	< 1	0.01	4	160	16	< 2	< 1	65	< 0.01	< 10	< 10	15	< 10	40
95DH-119	205 226	< 1	< 0.01	< 1	< 10	< 2	< 2	< 1	1355	< 0.01	< 10	< 10	< 1	< 10	18
95DH-121	205 226	< 1	< 0.01	< 1	40	96	< 2	< 1	663	< 0.01	< 10	< 10	20	< 10	36
95DH-122	205 226	2	0.16	53	1130	16	< 2	4	66	< 0.01	< 10	< 10	75	< 10	140
95DH-123	205 226	< 1	0.01	3	100	< 2	< 2	< 1	699	< 0.01	< 10	< 10	6	< 10	32
95DH-124	205 226	1	0.01	22	770	6	< 2	2	33	< 0.01	< 10	< 10	40	< 10	60
95DH-126	205 226	31	< 0.01	59	1340	4	4	3	106	< 0.01	< 10	< 10	1200	< 10	278
95DH-127	205 226	< 1	< 0.01	4	790	< 2	2	< 1	4470	< 0.01	< 10	< 10	40	< 10	68
95DH-128	205 226	< 1	0.01	37	310	4	< 2	4	55	< 0.01	< 10	< 10	26	< 10	84
95DH-129	205 226	1	0.03	73	1980	24	< 2	1	555	< 0.01	< 10	< 10	9	< 10	300
95DH-130	205 226	< 1	0.02	25	170	6	< 2	1	23	< 0.01	< 10	< 10	17	< 10	102
95DH-131	205 226	< 1	0.01	46	1710	16	< 2	< 1	498	< 0.01	< 10	< 10	6	< 10	70

CERTIFICATION:

Hant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**

Page Number :4-A
 Total Pages :5
 Certificate Date: 26-SEP-95
 Invoice No. : I9527820
 P.O. Number :
 Account : MZQ


Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
95DH-132	205	226	< 5	< 0.2	1.43	< 2	870	< 0.5	2	3.65	< 0.5	6	31	25	2.83	< 10	< 1	0.31	10	1.51	260
95DH-133	205	226	< 5	< 0.2	1.27	2	330	< 0.5	2	4.81	< 0.5	9	30	23	3.78	< 10	< 1	0.19	10	2.49	475
95DH-134	205	226	< 5	< 0.2	0.01	< 2	90	< 0.5	< 2	>15.00	4.0	< 1	< 1	< 1	0.03	< 10	3	< 0.01	< 10	0.10	805
95DH-135	205	226	< 5	1.8	0.29	112	10	< 0.5	2	1.34	< 0.5	4	40	79	>15.00	< 10	3	0.12	< 10	0.14	20
95DH-136	205	226	< 5	1.0	0.64	< 2	70	< 0.5	2	2.62	0.5	10	44	63	5.47	< 10	2	0.30	< 10	1.19	100
95DH-137	205	226	< 5	0.6	0.77	6	30	< 0.5	4	8.57	3.5	8	44	147	8.10	< 10	< 1	0.25	< 10	2.98	225
95DH-138	205	226	< 5	0.6	0.67	12	90	< 0.5	4	9.95	1.5	8	22	105	5.74	< 10	2	0.17	10	3.45	270
95DH-139	205	226	< 5	< 0.2	0.45	22	10	< 0.5	2	9.58	6.5	7	44	231	6.75	< 10	2	0.17	10	2.03	185
95DH-140	205	226	< 5	< 0.2	0.01	2	320	< 0.5	2	>15.00	< 0.5	< 1	3	1	0.07	< 10	3	< 0.01	< 10	0.23	195
95DH-141	205	226	< 5	0.2	0.95	14	490	1.0	< 2	0.44	1.0	1	78	48	0.81	< 10	1	0.29	< 10	0.32	5
95DH-142	205	226	< 5	< 0.2	1.63	< 2	790	< 0.5	2	1.57	< 0.5	4	40	32	2.64	< 10	< 1	0.30	20	1.35	210
95DH-143	205	226	< 5	< 0.2	0.61	2	780	< 0.5	2	>15.00	< 0.5	2	8	9	0.95	< 10	3	0.14	10	0.51	565
95DH-144	205	226	< 5	0.2	0.42	< 2	140	< 0.5	< 2	0.38	< 0.5	7	239	32	1.46	< 10	< 1	0.07	< 10	0.41	65
95DH-145	205	226	< 5	< 0.2	0.03	< 2	40	< 0.5	2	>15.00	< 0.5	< 1	3	3	0.13	< 10	1	0.01	< 10	0.14	320
95DH-146	205	226	< 5	< 0.2	0.09	4	70	< 0.5	2	>15.00	0.5	1	39	23	3.14	< 10	2	0.03	< 10	0.15	210
95DH-147	205	226	< 5	0.4	0.75	4	260	0.5	2	6.57	0.5	3	49	104	1.34	< 10	< 1	0.31	10	1.49	75
95DH-148	205	226	< 5	0.2	0.06	4	70	< 0.5	< 2	>15.00	< 0.5	1	7	30	3.06	< 10	2	0.01	10	0.27	115
95DH-149	205	226	< 5	0.8	0.07	6	20	< 0.5	2	6.13	6.5	1	28	48	13.60	< 10	2	0.03	< 10	0.12	70
95DH-150	205	226	< 5	0.2	0.91	< 2	140	0.5	2	3.62	< 0.5	7	59	312	1.75	< 10	2	0.13	< 10	0.96	160
95DH-151	205	226	< 5	0.4	0.51	6	80	< 0.5	< 2	4.33	< 0.5	3	53	85	3.45	< 10	< 1	0.13	< 10	0.49	35
95DH-152	205	226	< 5	< 0.2	0.01	4	530	< 0.5	2	>15.00	< 0.5	< 1	13	2	0.08	< 10	2	< 0.01	< 10	0.11	95
95DH-153	205	226	< 5	0.4	1.34	< 2	110	0.5	2	0.95	0.5	2	78	126	1.08	< 10	< 1	0.37	10	1.19	15
95DH-155	205	226	< 5	0.2	0.47	26	210	0.5	< 2	0.84	< 0.5	< 1	49	51	1.04	< 10	< 1	0.15	< 10	0.06	< 5
95DH-156	205	226	< 5	1.8	0.43	26	760	0.5	2	1.74	52.5	1	113	69	0.46	< 10	1	0.12	< 10	0.14	20
95DH-157	205	226	< 5	< 0.2	0.09	8	>10000	< 0.5	< 2	3.09	12.5	< 1	34	33	0.12	< 10	1	< 0.01	< 10	0.31	40
95DH-158	205	226	< 5	1.8	0.06	30	7680	< 0.5	4	12.90	4.0	< 1	33	167	0.09	< 10	1	< 0.01	< 10	6.08	125
95DH-159	205	226	< 5	1.6	0.52	34	40	1.0	2	3.07	81.5	3	74	116	2.75	< 10	1	0.17	< 10	1.65	70
95DH-160	205	226	< 5	< 0.2	0.21	2	140	< 0.5	2	8.28	0.5	2	29	28	3.99	< 10	< 1	0.09	< 10	5.59	540
95DH-161	205	226	< 5	0.2	0.32	6	520	< 0.5	< 2	0.08	< 0.5	< 1	174	8	0.62	< 10	1	0.12	< 10	0.04	10
95DH-162	205	226	< 5	< 0.2	0.04	2	7110	0.5	< 2	>15.00	2.0	< 1	18	6	0.24	< 10	1	0.01	< 10	0.54	85
95DH-163	205	226	< 5	0.6	0.34	4	860	< 0.5	< 2	0.16	< 0.5	< 1	57	19	0.41	< 10	< 1	0.17	< 10	0.04	5
95DH-164	205	226	< 5	0.4	1.34	2	30	< 0.5	2	2.86	< 0.5	21	27	39	5.19	< 10	< 1	0.34	10	1.45	240
95DH-165	205	226	< 5	0.6	0.13	< 2	90	< 0.5	< 2	1.30	>100.0	< 1	194	1905	0.69	20	4	0.09	10	0.04	20
95DH-166	205	226	< 5	0.6	0.56	10	130	0.5	< 2	2.43	16.5	2	63	159	2.65	< 10	1	0.30	10	0.16	10
95DH-172	205	226	< 5	0.2	0.10	< 2	850	< 0.5	< 2	0.31	0.5	< 1	27	6	0.20	< 10	< 1	0.05	< 10	0.02	10
95DH-175	205	226	< 5	1.2	0.46	22	40	< 0.5	2	8.07	1.5	2	56	28	2.19	< 10	3	0.06	< 10	0.99	60
95DH-177	205	226	< 5	0.6	0.54	4	2300	< 0.5	2	>15.00	5.5	< 1	28	35	0.40	< 10	1	0.07	< 10	1.09	50
95DH-178	205	226	< 5	< 0.2	0.01	2	170	< 0.5	< 2	>15.00	< 0.5	< 1	22	11	0.08	< 10	1	< 0.01	< 10	0.20	165
95DH-179	205	226	< 5	< 0.2	0.15	2	120	< 0.5	< 2	>15.00	< 0.5	< 1	14	7	0.26	< 10	2	0.02	< 10	1.34	85
95DH-180	205	226	< 5	1.2	0.74	14	30	< 0.5	< 2	3.49	0.5	5	52	60	2.66	< 10	2	0.33	10	0.54	40

CERTIFICATION: *Daniele Heon*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
 GEOSCIENCE OFFICE
 BOX 2703 F-3
 WHITEHORSE, YT
 Y1A 2C6

**

Page Number :4-B
 Total Pages :5
 Certificate Date: 26-SEP-95
 Invoice No. : I9527820
 P.O. Number :
 Account : MZQ

Project : 201003 0207 99
 Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
95DH-132	205	226	< 1	0.01	22	360	4	< 2	4	140	< 0.01	< 10	< 10	20	< 10	60
95DH-133	205	226	< 1	0.01	24	270	2	< 2	4	169	< 0.01	< 10	< 10	19	< 10	76
95DH-134	205	226	< 1	< 0.01	1	10	< 2	< 2	< 1	478	< 0.01	< 10	< 10	15	< 10	44
95DH-135	205	226	45	0.01	105	90	44	14	< 1	71	< 0.01	< 10	< 10	17	< 10	22
95DH-136	205	226	2	0.01	48	190	16	< 2	3	83	< 0.01	< 10	< 10	24	< 10	114
95DH-137	205	226	1	0.01	75	270	14	< 2	2	304	< 0.01	< 10	< 10	26	< 10	402
95DH-138	205	226	6	0.01	62	370	14	< 2	3	392	< 0.01	< 10	< 10	24	< 10	192
95DH-139	205	226	1	0.01	51	570	6	< 2	2	353	< 0.01	< 10	< 10	29	< 10	750
95DH-140	205	226	< 1	< 0.01	13	< 10	< 2	< 2	< 1	3600	< 0.01	< 10	< 10	14	< 10	30
95DH-141	205	226	70	0.01	95	1150	4	< 2	3	66	< 0.01	< 10	< 10	993	< 10	126
95DH-142	205	226	< 1	0.01	22	530	< 2	< 2	4	60	< 0.01	< 10	< 10	31	< 10	56
95DH-143	205	226	< 1	0.01	9	180	2	< 2	2	555	< 0.01	< 10	< 10	7	< 10	34
95DH-144	205	226	< 1	< 0.01	22	180	8	< 2	1	11	< 0.01	< 10	< 10	23	< 10	18
95DH-145	205	226	< 1	< 0.01	1	< 10	< 2	< 2	< 1	723	< 0.01	< 10	< 10	2	< 10	22
95DH-146	205	226	< 1	< 0.01	4	100	< 2	< 2	< 1	436	< 0.01	< 10	< 10	3	< 10	156
95DH-147	205	226	8	< 0.01	26	2210	6	< 2	3	89	< 0.01	< 10	< 10	83	< 10	86
95DH-148	205	226	1	< 0.01	12	340	10	2	< 1	178	< 0.01	< 10	< 10	6	< 10	20
95DH-149	205	226	< 1	< 0.01	11	340	16	< 2	< 1	77	< 0.01	< 10	< 10	9	< 10	1520
95DH-150	205	226	< 1	< 0.01	35	170	6	< 2	3	58	< 0.01	< 10	< 10	34	< 10	102
95DH-151	205	226	3	< 0.01	23	160	6	< 2	1	37	< 0.01	< 10	< 10	28	< 10	44
95DH-152	205	226	< 1	< 0.01	< 1	30	< 2	< 2	< 1	462	< 0.01	< 10	< 10	2	< 10	20
95DH-153	205	226	4	< 0.01	28	3300	2	< 2	4	18	< 0.01	< 10	< 10	120	< 10	84
95DH-155	205	226	79	< 0.01	56	150	4	2	2	63	< 0.01	< 10	< 10	636	< 10	108
95DH-156	205	226	50	< 0.01	135	880	2	10	3	287	0.02	< 10	< 10	1755	< 10	2460
95DH-157	205	226	6	< 0.01	57	150	< 2	< 2	< 1	2540	< 0.01	< 10	< 10	147	< 10	1240
95DH-158	205	226	< 1	0.02	16	510	< 2	36	< 1	1550	< 0.01	< 10	< 10	69	< 10	164
95DH-159	205	226	62	0.01	182	290	18	6	3	87	0.01	< 10	< 10	941	< 10	900
95DH-160	205	226	< 1	0.02	12	90	4	2	3	1095	< 0.01	< 10	< 10	33	< 10	48
95DH-161	205	226	22	< 0.01	21	60	2	< 2	1	26	< 0.01	< 10	< 10	111	< 10	10
95DH-162	205	226	2	0.01	26	260	< 2	< 2	< 1	1255	< 0.01	< 10	< 10	37	< 10	84
95DH-163	205	226	25	< 0.01	31	90	2	< 2	1	20	< 0.01	< 10	< 10	328	< 10	10
95DH-164	205	226	< 1	0.01	53	350	16	2	4	102	< 0.01	< 10	< 10	20	< 10	60
95DH-165	205	226	1	0.01	8	140	2	8	< 1	36	< 0.01	< 10	< 10	7	170	>10000
95DH-166	205	226	3	0.01	40	8040	18	< 2	2	42	< 0.01	< 10	< 10	60	< 10	1340
95DH-172	205	226	< 1	< 0.01	3	150	< 2	< 2	< 1	6	< 0.01	< 10	< 10	6	< 10	44
95DH-175	205	226	2	< 0.01	12	940	6	6	< 1	279	< 0.01	< 10	< 10	69	< 10	140
95DH-177	205	226	6	< 0.01	12	1760	2	< 2	1	264	< 0.01	< 10	< 10	173	< 10	308
95DH-178	205	226	< 1	< 0.01	2	80	< 2	< 2	< 1	821	< 0.01	< 10	< 10	6	< 10	30
95DH-179	205	226	< 1	< 0.01	2	290	< 2	< 2	1	473	< 0.01	< 10	< 10	12	< 10	30
95DH-180	205	226	10	< 0.01	49	840	20	4	2	47	< 0.01	< 10	< 10	78	< 10	148

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

**

Page Number :5-A
Total Pages :5
Certificate Date: 26-SEP-95
Invoice No. : I9527820
P.O. Number :
Account : MZQ

Project : 201003 0207 99
Comments: ATTN:DANIELE HEON


CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
95DH-181	205	226	< 5	< 0.2	0.25	2	90	< 0.5	< 2	0.22	< 0.5	1	242	29	0.76	< 10	< 1	0.14	< 10	0.14	35
95DH-182	205	226	< 5	< 0.2	0.02	4	30	< 0.5	4	12.85	< 0.5	< 1	12	28	0.11	< 10	< 1	< 0.01	< 10	9.62	205
95DH-183	205	226	< 5	< 0.2	0.02	2	60	< 0.5	6	13.15	< 0.5	< 1	34	3	0.17	< 10	< 1	0.01	< 10	9.90	180
95DH-184	205	226	< 5	< 0.2	0.01	< 2	10	< 0.5	< 2	7.55	0.5	< 1	92	19	0.10	< 10	< 1	< 0.01	< 10	0.16	40
95DH-185	205	226	< 5	< 0.2	0.46	4	240	< 0.5	< 2	0.40	< 0.5	< 1	210	9	0.92	< 10	1	0.14	< 10	0.04	5
95DH-186	205	226	< 5	0.8	4.16	260	510	2.0	< 2	0.69	3.0	< 1	191	301	2.27	< 10	1	0.21	< 10	0.32	10
95DH-187	205	226	< 5	< 0.2	2.13	8	10	0.5	< 2	0.13	< 0.5	4	29	29	2.27	< 10	< 1	0.50	< 10	0.23	20
95DH-188	205	226	< 5	< 0.2	2.31	16	10	1.0	< 2	0.11	< 0.5	19	42	59	3.49	< 10	< 1	0.59	< 10	0.36	90
95DH-190	205	226	< 5	< 0.2	0.76	4	1110	< 0.5	< 2	< 0.01	< 0.5	< 1	153	9	0.66	< 10	1	0.17	< 10	0.04	5
95DH-191	205	226	< 5	< 0.2	1.79	10	20	1.0	2	0.66	< 0.5	7	33	51	10.75	< 10	1	0.36	< 10	1.14	1405
95DH-192	205	226	< 5	< 0.2	0.49	4	690	< 0.5	< 2	0.02	< 0.5	< 1	222	6	1.05	< 10	< 1	0.12	< 10	0.06	45
95DH-193	205	226	< 5	< 0.2	0.31	4	400	< 0.5	< 2	0.01	< 0.5	< 1	132	7	2.26	< 10	< 1	0.05	< 10	0.01	10
95DH-194	205	226	< 5	< 0.2	2.80	230	10	1.0	< 2	0.41	< 0.5	17	63	27	7.79	< 10	< 1	0.39	10	0.36	60
95DH-195	205	226	< 5	0.8	2.19	38	130	0.5	2	10.40	11.5	2	169	22	1.02	< 10	1	0.49	20	0.20	35
95DH-196	205	226	< 5	< 0.2	2.18	6	780	< 0.5	< 2	0.11	< 0.5	3	132	32	2.69	< 10	< 1	0.41	< 10	0.28	40
95DH-197	205	226	< 5	< 0.2	0.06	< 2	40	< 0.5	< 2	0.04	< 0.5	< 1	324	2	0.32	< 10	< 1	< 0.01	< 10	< 0.01	10
95DH-198	205	226	< 5	< 0.2	0.10	< 2	20	< 0.5	< 2	0.01	< 0.5	< 1	335	2	0.59	< 10	< 1	0.03	< 10	< 0.01	10
95DH-199	205	226	< 5	< 0.2	1.06	4	350	< 0.5	< 2	0.18	< 0.5	9	117	20	1.82	< 10	1	0.21	10	0.22	420

CERTIFICATION:

Hant Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: YUKON ECONOMIC DEVELOPMENT
GEOSCIENCE OFFICE
BOX 2703 F-3
WHITEHORSE, YT
Y1A 2C6

**

Page Number :5-B
Total Pages :5
Certificate Date: 26-SEP-95
Invoice No. : I9527820
P.O. Number :
Account : MZQ

Project : 201003 0207 99
Comments: ATTN:DANIELE HEON

CERTIFICATE OF ANALYSIS

A9527820

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
95DH-181	205 226	< 1	< 0.01	12	100	2	< 2	1	4	< 0.01	< 10	< 10	24	< 10	14
95DH-182	205 226	< 1	0.01	< 1	30	< 2	< 2	< 1	45	< 0.01	< 10	< 10	3	< 10	16
95DH-183	205 226	< 1	0.01	1	540	8	< 2	< 1	94	< 0.01	< 10	< 10	8	< 10	20
95DH-184	205 226	< 1	< 0.01	< 1	10	< 2	2	< 1	301	< 0.01	< 10	< 10	12	< 10	34
95DH-185	205 226	1	0.02	4	100	4	< 2	< 1	39	< 0.01	< 10	< 10	30	< 10	8
95DH-186	205 226	27	0.01	162	1560	10	14	20	180	< 0.01	< 10	40	441	< 10	168
95DH-187	205 226	7	0.03	40	140	16	< 2	5	33	< 0.01	< 10	< 10	52	< 10	48
95DH-188	205 226	12	0.04	80	260	16	< 2	6	41	< 0.01	< 10	< 10	63	< 10	280
95DH-190	205 226	1	< 0.01	4	60	6	< 2	1	19	< 0.01	< 10	< 10	26	< 10	6
95DH-191	205 226	2	0.02	36	900	12	2	7	40	< 0.01	< 10	< 10	69	< 10	120
95DH-192	205 226	1	< 0.01	4	290	4	2	1	36	< 0.01	< 10	< 10	27	< 10	12
95DH-193	205 226	< 1	< 0.01	2	120	2	< 2	1	17	< 0.01	< 10	< 10	32	< 10	14
95DH-194	205 226	4	0.41	97	950	32	2	5	58	< 0.01	< 10	< 10	122	< 10	152
95DH-195	205 226	11	0.08	62	1700	6	< 2	4	229	0.01	< 10	< 10	219	< 10	162
95DH-196	205 226	< 1	0.02	14	260	4	4	5	23	< 0.01	< 10	< 10	66	< 10	60
95DH-197	205 226	< 1	< 0.01	4	20	< 2	< 2	< 1	2	< 0.01	< 10	< 10	3	< 10	2
95DH-198	205 226	< 1	< 0.01	3	40	2	< 2	< 1	3	< 0.01	< 10	< 10	4	< 10	2
95DH-199	205 226	< 1	0.01	26	820	8	2	3	23	< 0.01	< 10	< 10	40	< 10	98

CERTIFICATION:

Daniele Heon