

| Samples analyzed by Chemex Labs Ltd. using ICP-AES for 32 elements and FA-AAS for Au                  |        |      |      |       |     |      |      |       |        |     |       |      |       |     |      |        |     |
|---|--------|------|------|-------|-----|------|------|-------|--------|-----|-------|------|-------|-----|------|--------|-----|
| SAMPLE  | Au     | Ag   | Al   | As    | Ba  | Be   | Bi   | Ca    | Cd     | Co  | Cr    | Cu   | Fe    | Ga  | Hg   | K      | La  |
|   | ppb    | ppm  | %    | ppm   | ppm | ppm  | ppm  | %     | ppm    | ppm | ppm   | ppm  | %     | ppm | ppm  | %      | ppm |
| JH96-4A   | <5     | 1.4  | 0.42 | 22    | 160 | 0.5  | <2   | 0.14  | <0.5   | 1   | 28    | 2    | 2.06  | <10 | <1   | 0.38   | 70  |
| JH96-5A   | <5     | 2.6  | 0.38 | 10    | 170 | <0.5 | <2   | <0.01 | <0.5   | <1  | 29    | <1   | 1.23  | <10 | 1    | 0.36   | 10  |
| JH96-5B   | <5     | 0.6  | 0.34 | 12    | 140 | 0.5  | <2   | 0.05  | 0.5    | 2   | 19    | 5    | 3.89  | <10 | 1    | 0.3    | 130 |
| JH96-5C   | <5     | 0.4  | 0.56 | 10    | 180 | 1    | <2   | 0.09  | <0.5   | 2   | 9     | 5    | 2.99  | <10 | 1    | 0.44   | 150 |
| JH96-12B  | <5     | 2    | 0.56 | 6     | 230 | 0.5  | <2   | 0.32  | 2.5    | 1   | 11    | 14   | 1.35  | <10 | <1   | 0.5    | 50  |
| JH96-15B  | 575    | 4.4  | 0.25 | 30    | 190 | <0.5 | <2   | 4.41  | >100.0 | 3   | 59    | 4930 | 4.5   | <10 | 3    | 0.17   | 50  |
| JH96-30-2   | 45     | 1    | 1.45 | 200   | 180 | 0.5  | <2   | 0.66  | 2.5    | 7   | 109   | 219  | 6.34  | <10 | 1    | 0.24   | 10  |
| JH96-30-3   | 10     | 0.4  | 1.69 | 66    | 50  | 0.5  | <2   | 0.96  | <0.5   | 16  | 51    | 391  | 9.9   | <10 | <1   | 0.49   | 10  |
| JH96-33-2   | <5     | 0.2  | 1.18 | 52    | 150 | <0.5 | <2   | 0.81  | <0.5   | 3   | 68    | 43   | 2.31  | <10 | 1    | 0.24   | 10  |
| WZ 014  | <5     | <0.2 | 0.99 | 6     | 30  | <0.5 | <2   | 0.51  | <0.5   | 3   | 55    | 3    | 1.27  | <10 | <1   | 0.08   | <10 |
| WZ 015  | <5     | <0.2 | 1.54 | 2     | 30  | <0.5 | <2   | 1.33  | <0.5   | 5   | 48    | 3    | 1.94  | <10 | <1   | 0.06   | 10  |
| SAMPLE  | Mg     | Mn   | Mo   | Na    | Ni  | P    | Pb   | Sb    | Sc     | Sr  | Ti    | Tl   | U     | V   | W    | Zn     |     |
|   | %      | ppm  | ppm  | %     | ppm | ppm  | ppm  | ppm   | ppm    | ppm | %     | ppm  | ppm   | ppm | ppm  | ppm    |     |
| JH96-4A   | 0.04   | 335  | 4    | 0.01  | 1   | 150  | 58   | <2    | <1     | 11  | <0.01 | <10  | <10   | <1  | <10  | 20     |     |
| JH96-5A   | 0.01   | 15   | 14   | <0.01 | <1  | 30   | 44   | <2    | <1     | 5   | <0.01 | <10  | <10   | <1  | <10  | 60     |     |
| JH96-5B   | 0.03   | 8470 | 15   | <0.01 | <1  | 230  | 8    | 2     | <1     | 12  | <0.01 | <10  | <10   | <1  | <10  | 338    |     |
| JH96-5C   | 0.09   | 3990 | 4    | <0.01 | <1  | 250  | 12   | <2    | <1     | 16  | <0.01 | <10  | <10   | <1  | <10  | 132    |     |
| JH96-12B  | 0.06   | 85   | 19   | <0.01 | <1  | 100  | 926  | <2    | <1     | 12  | <0.01 | <10  | <10   | <1  | <10  | 386    |     |
| JH96-15B  | 1.82   | 1395 | 2    | <0.01 | 3   | <10  | 212  | 16    | <1     | 77  | <0.01 | <10  | <10   | <1  | <10  | >10000 |     |
| JH96-30-2   | 0.74   | 1090 | 9    | <0.01 | 31  | 1650 | 40   | 2     | 1      | 48  | 0.01  | <10  | <10   | 120 | <10  | 404    |     |
| JH96-30-3   | 0.76   | 8690 | 1    | 0.01  | 96  | 2190 | 2    | 2     | 2      | 43  | 0.04  | <10  | <10   | 83  | <10  | 108    |     |
| JH96-33-2   | 0.66   | 475  | 3    | <0.01 | 10  | 1900 | 12   | <2    | 1      | 47  | <0.01 | <10  | <10   | 20  | <10  | 30     |     |
| WZ 014  | 0.6    | 310  | <1   | 0.03  | 1   | 810  | 2    | <2    | 2      | 25  | 0.07  | <10  | <10   | 5   | <10  | 26     |     |
| WZ 015  | 0.57   | 405  | <1   | 0.01  | 1   | 1270 | 2    | <2    | 1      | 89  | 0.07  | <10  | <10   | 6   | <10  | 12     |     |
| Samples analyzed by Chemex Labs Ltd. using ICP-AES for 32 elements and FA-AAS for Au                  |        |      |      |       |     |      |      |       |        |     |       |      |       |     |      |        |     |
| SAMPLE  | Au     | Ag   | Al   | As    | Ba  | Be   | Bi   | Ca    | Cd     | Co  | Cr    | Cu   | Fe    | Ga  | Hg   | K      | La  |
|   | g/t    | ppm  | %    | ppm   | ppm | ppm  | ppm  | %     | ppm    | ppm | ppm   | ppm  | %     | ppm | ppm  | %      | ppm |
| JH97-42   | <0.005 | 0.2  | 0.13 | <2    | <10 | <0.5 | <2   | 0.22  | <0.5   | 1   | 179   | 480  | 0.4   | <10 | <1   | 0.02   | <10 |
| JH97-42A  | <0.005 | 1    | 0.31 | <2    | <10 | <0.5 | <2   | 0.22  | <0.5   | 3   | 219   | 1420 | 0.86  | <10 | <1   | 0.04   | <10 |
| JH97-43   | 0.03   | 2.6  | 0.63 | <2    | <10 | <0.5 | <2   | 0.44  | 22.5   | 3   | 158   | 6750 | 1.88  | <10 | <1   | <0.01  | <10 |
| JH97-45   | <0.005 | <0.2 | 1.28 | <2    | <10 | <0.5 | <2   | 0.35  | <0.5   | 11  | 33    | 17   | 3.26  | <10 | <1   | <0.01  | 10  |
| JH97-102  | <0.005 | 29.8 | 0.62 | 10    | 20  | <0.5 | <2   | 0.16  | 4      | 6   | 169   | 2760 | 1.19  | <10 | 2    | 0.05   | <10 |
| SAMPLE  | Mg     | Mn   | Mo   | Na    | Ni  | P    | Pb   | Sb    | Sc     | Sr  | Ti    | Tl   | U     | V   | W    | Zn     |     |
|   | %      | ppm  | ppm  | %     | ppm | ppm  | ppm  | ppm   | ppm    | ppm | %     | ppm  | ppm   | ppm | ppm  | ppm    |     |
| JH97-42   | 0.09   | 55   | 1    | <0.01 | 3   | 10   | 152  | 2     | <1     | 3   | <0.01 | <10  | <10   | 4   | <10  | 16     |     |
| JH97-42A  | 0.24   | 90   | 3    | 0.01  | 4   | 40   | 126  | <2    | 1      | 3   | <0.01 | <10  | <10   | 11  | <10  | 54     |     |
| JH97-43   | 0.56   | 220  | 3    | 0.01  | 4   | 30   | 324  | <2    | 2      | 19  | <0.01 | <10  | <10   | 26  | <10  | 2730   |     |
| JH97-45   | 0.93   | 460  | <1   | 0.11  | <1  | 340  | 2    | <2    | 6      | 25  | 0.15  | <10  | <10   | 29  | <10  | 48     |     |
| JH97-102  | 0.38   | 100  | 50   | <0.01 | 5   | 30   | 1725 | 20    | 2      | 4   | 0.01  | <10  | <10   | 17  | <10  | 582    |     |
| Samples analyzed by ACME Analytical Laboratories Ltd. using ICP-AES for 32 elements and FA-AAS for Au |        |      |      |       |     |      |      |       |        |     |       |      |       |     |      |        |     |
| SAMPLE  | Au     | Ag   | Al   | As    | B   | Ba   | Bi   | Ca    | Cd     | Co  | Cr    | Cu   | Fe    | Hg  | K    | La     |     |
|   | ppm    | ppm  | %    | ppm   | ppm | ppm  | ppm  | %     | ppm    | ppm | ppm   | ppm  | %     | ppm | %    | ppm    |     |
| JH98-108  | 3      | 1.2  | 0.66 | 10    | 29  | 365  | <3   | 0.02  | <2     | 3   | 6     | 11   | 18.46 | <1  | 0.25 | 148    |     |
| JH98-A1   | <2     | 2.2  | 0.31 | 81    | 6   | 36   | <3   | 0.01  | <2     | 2   | 7     | 17   | 4.64  | <1  | 0.25 | 128    |     |
| JH98-A11  | <2     | 0.3  | 0.25 | 35    | 15  | 12   | <3   | <0.1  | <2     | 7   | 7     | 8    | 12.15 | <1  | 0.23 | 17     |     |
| RE JH98-A11   | <2     | 0.6  | 0.25 | 35    | 16  | 12   | <3   | <0.1  | <2     | 7   | 8     | 8    | 11.87 | <1  | 0.23 | 17     |     |

|               |           |            |            |           |            |          |            |            |            |           |            |            |            |            |            |            |  |
|---------------|-----------|------------|------------|-----------|------------|----------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|--|
| JH98-A111     | <2        | 1.4        | 0.14       | 49        | 11         | 19       | <3         | 2.87       | <2         | 3         | 5          | 33         | 11.74      | <1         | 0.11       | 27         |  |
| JH98-C        | <2        | <.3        | <.01       | <2        | <3         | 20       | <3         | 33.93      | 0.3        | 1         | 2          | <1         | 0.17       | <1         | 0.01       | 2          |  |
| <b>SAMPLE</b> | <b>Mg</b> | <b>Mn</b>  | <b>Mo</b>  | <b>Na</b> | <b>Ni</b>  | <b>P</b> | <b>Pb</b>  | <b>Sb</b>  | <b>Sr</b>  | <b>Ti</b> | <b>Th</b>  | <b>Tl</b>  | <b>U</b>   | <b>V</b>   | <b>W</b>   | <b>Zn</b>  |  |
|               | <b>%</b>  | <b>ppm</b> | <b>ppm</b> | <b>%</b>  | <b>ppm</b> | <b>%</b> | <b>ppm</b> | <b>ppm</b> | <b>ppm</b> | <b>%</b>  | <b>ppm</b> | <b>ppm</b> | <b>ppm</b> | <b>ppm</b> | <b>ppm</b> | <b>ppm</b> |  |
| JH98-108      | 0.03      | 91         | 1          | 0.01      | 1          | 0.053    | 50         | <3         | 4          | <.01      | 23         | <5         | <8         | 2          | <2         | 157        |  |
| JH98-A1       | 0.02      | 79         | 24         | 0.01      | 35         | 0.01     | 50         | 6          | 3          | <.01      | 17         | <5         | <8         | 4          | 2          | 7          |  |
| JH98-A11      | 0.02      | 35         | 4          | 0.01      | 11         | 0.002    | 65         | <3         | 1          | <.01      | 3          | 5          | <8         | 1          | 4          | 3          |  |
| RE JH98-A11   | 0.02      | 37         | 3          | 0.01      | 11         | 0.001    | 59         | <3         | 1          | <.01      | 3          | 5          | 9          | 1          | 4          | 4          |  |
| JH98-A111     | 1.02      | 361        | 6          | 0.02      | 2          | 0.024    | 765        | 5          | 17         | <.01      | 4          | <5         | <8         | <1         | 4          | 14         |  |
| JH98-C        | 0.23      | 29         | <1         | 0.01      | <1         | 0.002    | <3         | <3         | 87         | <.01      | <2         | <5         | <8         | <1         | <2         | 9          |  |