



1:480 Meters MD

File Name: 300136610137450_1		Company: CHEVRON STANDARD LIMITED		Well Name: SOBC WME PORCUPINE Y1-13		State: YUKON TERRITORIES							
API No.		Field Name: WILDCAT		County:		Country:							
HES 2000 - Copyright (c) 2008 Hydrocarbon Data Systems, Inc.		Location: 300136610137450, Lat: N 66° 02' 35" Long: E 137° 46' 58".				Other Services: DLS/FDCS/NPBHCS/ES/GR							
Permanent Datum: GL		Elevation: 6.4 M				Elevations: KB 507.7 M							
Logging Measured From: KB						DF 0 M							
Drilling Measured From: KB						GL 501.4 M							
Date: FEB-15-1971		APR-19-1971											
Run No.: 1		2											
Depth-Driller: 245.0592 M		2438.4000 M											
Depth-Logger: 240.1824 M		2439.3140 M											
Btm Log Interval: 237.4352 M		2439.7050 M											
Top Log Interval: 21.3360 M		242.6208 M											
Casing - Driller: 19.8120 M		243.5362 M											
Casing - Logger: 21.3360 M		242.6208 M											
Bit Size: 444.5 mm													
Type Fluid in Hole:													
Den. / Vis.: 8.8 / 50.0		10.0 / 170.0											
Ph. / Fluid Loss:													
Source of Sample:													
Rm @ Meas. Temp.: 6.19 / 10.0 deg C		3.28 / 17.8 deg C											
Rmt @ Meas. Temp.: 6.61 / 8.3 deg C		2.38 / 17.8 deg C											
Rmc @ Meas. Temp.: 5.28 / 8.3 deg C													
Source: Rmt / Rmc:													
Time Since Circ.: 12.0		4.0											
Max. Rec. Temp.: 31.7 deg C		85.6 deg C											
Recorded by: NICKERSON		CHADDOCK											
Witnessed by: HANSENGETZ		FOLLARD											
Log Analysis by: A.MAL-HAFEZ		A.MAL-HAFEZ											
203		BS (mm) 457 0		ILD (OHMM) 2		DT (uS/M) 500		DT (uS/M) 100		1 Sw (V/V) 0		1 Kf (1000 (MD) 1	
203		CALI (mm) 457 0		ILM (OHMM) 2		PHE (V/V) 45		PHE (V/V) -15				1 Km ax 1000 (MD) 1	
-1800		DRHO (KMG) 200		SFL (OHMM) 2		RHOB (KMG) 1950		RHOB (KMG) 2950					
0		GR (GAPI) 150				PhiCor (V/V) 45		PhiCor (V/V) -15					
-160		SP (mV) 0											
		MD 1:480 Meters											
		25											





