



1:480 Meters MD

File Name 300M69600137000_1	Company SOOXY MOBL OIL OF CANADA LTD		
API No.	Well Name SOOXY MOBL WESTERN MINERALS BLACKIE #1 YTM-59	State NORTH-WEST TERRITORY	
	Field Name WLD-CAT	Country	
HES 2000 - Copyright (c) 2008 Hydrocarbon Data Systems, Inc.	Location 300M69600137000, Lat: N 69° 58' 55" Long: E 137° 11' 57".	Other Services DIL/BHCS/GR	

Permanent Datum Logging Measured From Drilling Measured From	GL KB KB	Elevation: Elev. above P.D.	5.5 M 5.5 M	Elevations KB DF OL	562 M 0 M 557.5 M
--	----------------	--------------------------------	----------------	------------------------------	-------------------------

Date	MAR-16-1964				
Run No.	1				
Depth-Driller	1905.0000 M				
Depth-Logger	1907.1340 M				
Btm Log Interval	1905.0000 M				
Top Log Interval	336.1844 M				
Casing - Driller	336.2800 M				
Casing - Logger	336.1944 M				
Bit Size	219.075 mm				
Chem Gel					
Den / Vis.	10.6 / 68.0				
Ph / Fluid Loss	9.5 / 4.8				
Source of Sample					
Rm @ Meas. Temp.	1.88 / 21.1 deg C				
Rmt @ Meas. Temp.	1.63 / 21.1 deg C				
Rmc @ Meas. Temp.	2.07 / 20.0 deg C				
Source: Rmt / Rmc					
Time Since Circ.	0.0				
Max. Rec. Temp.	66.7 deg C				
Recorded by	HAINES				
Witnessed by	CLARE				

Log Analysis by	AJ.MAL-FAFEZ				
203	FBH (inches)	457	0		
	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	


	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				

	ILD (ohmM)	2	2000	500	
	SN16 (ohmM)	2	2000	500	
	DT (ohmM)	100	100	100	
	PHIE (V/V)	-15	-15	-15	
	PhiCor (V/V)	-15	-15	-15	
	Sw (V/V)	0	0	0	
	K (MD)	1	1	1	
	Kmax (MD)	1	1	1	

	GR (GAPI)	0	150		
	SP (mV)	0			
	MD				
	1:480 Meters				



1:480 Meters