

TABULATION OF DRILLING RESULTS
QUARTZ CREEK EXAMINATION GROUND SLICED AREA 1 9 3 3.

Hole No.	Claim No.	Depth of Muck	Depth of Gravel	Depth of pay in Bedrock	Total Working Depth	Total Depth Drilled	Wgt. Gold in Gravel Mgs.	Wgt. Gold in B. R. Mgs.	Value per Cu. Total Working Value	per Cu. Ft.
1	45	0	11	0	15	21	3	1	1.2	
2	45	3	7	5	17	18	18	51	17.8	
3	45	8	8	5	22	22	15	151	33.2	
4	43	0	14	1	16	20	41	2	11.8	
5	43	0	14	0	15	20	4	1	1.5	
6	43	0	15	1	17	17	69	12	21	
7	42-A	0	14	3	17	17	12	341	91.4	
8	42-A	0	15	2	18	18	24	18	10.3	
9	42-A	0	13	2	16	16	12	28	11	
10	L ₁ 42	0	11	2	15	13	68	74	41.6	
11	L ₂ 42	0	11	2	15	14	38	25	18.5	
12	L ₃ 42	0	11	3	15	16	2	29	9.1	
13	L ₄ 42	0	9	1	15	12	8	2	2.9	
14	41	0	11	2	15	15	8	14	6.4	
15	41	0	11	3	15	14	53	32	25	
16	41	0	9	4	15	14	70	27	28.5	
17	41	0	9	1	15	12	2	1	0.9	
18	40	0	12	5	17	18	3	302	79	
19	40	0	11	3	15	16	15	17	9.4	
20	40	0	7	3	15	11	14	204	64	
21	39-A	0	11	3	16	16	19	35	14.8	
22	39-A	0	11	1	15	14	14	6	5.9	
23	39-A	0	10	4	15	15	7	5	3.5	
24	39-A	0	11	5	16	16	34	435	129	
25	39	3	14	3	21	21	134	192	68.3	
26	39	0	12	3	16	18	8	8	4.4	
27	38	0	7	4	15	11	4	71	22	
28	38	0	10	1	15	13	30	10	11.8	
29	38	0	6	2	15	10	1	22	6.8	
30	38	0	8	2	15	13	32	12	12.9	
31	L ₁ 36	0	7	1	15	9	44	13	16.7	
32	L ₂ 36	3	5	1	15	11	28	35	18.5	
33	L ₃ 36	6	5	0	15	14	Trace	0	0	
34	L ₄ 36	0	7	2	15	12	7	33	11.7	
35	35	0	9	1	15	12	1	7	2.4	
36	35	6	6	2	16	16	Trace	152	41.8	
37	35	0	7	2	15	12	8	2	2.9	
38	35	0	8	2	15	11	13	12	7.3	
39	L ₁ 34	9	3	4	17	17	3	170	44.7	
40	L ₂ 34	4	3	3	15	11	60	155	63.1	
41	L ₃ 34	0	7	2	15	11	9	23	9.4	
42	L ₄ 34	0	9	8	18	18	10	75	20.7	
43	U ₁ 33	4	9	3	16	19	5	62	18.5	
44	U ₂ 33	0	13	1	15	16	83	12	27.9	
45	U ₃ 33	0	10	2	15	13	19	6	7.3	
46	32	0	7	1	15	10	4	6	2.9	
47	32	0	10	1	15	13	10	10	5.9	

Value per Cu. Yard	Values cut on	FROST	REMARKS
Working Depth	account of	From To	
Ft. Cents	swell?	ft. ft.	
2 18.0	No	T	Minimum working depth 15 feet. If greater than 15 feet taken one foot below pay. Working depth calculated on basis of no additional stripping in this area and includes overburden remaining on ground at present.
8 302.6	No	T	
2 730.4	No	1 - 22	
8 188.8	No	T	
5 22.5	No	T	
357	No	T	
4 1553.8	No	T	
3 185.4	No	T	
176	No	T	
6 624	No	4 - 15	
5 277.5	No	T	No drill holes have been eliminated in this area.
1 136.5	No	T	
9 43.5	No	8 - 12	
4 96	No	T	
375	No	T	
5 427.5	No	T	
9 13.5	No	T	
1343	No	T	
4 141	No	T	
8 960	No	T	
8 236.8	No	14 - 16	
9 88.5	No	T	
5 52.5	No	T	
2064	No	8 - 16	
3 1434.3	No	3 - 21	
4 70.4	No	16 - 18	
330	No	T	
8 177	No	6 - 13	
8 102	No	T	
9 193.5	No	T	
7 250.5	No	T	
5 277.5	No	3 - 11	
0	No	3 - 13	
7 175.5	No	T	
4 36	No	T	
8 668.8	No	5 - 16	
9 43.5	No	9 - 12	
3 109.5	No	T	
7 759.9	No	5 - 17	
1 946.5	No	5 - 11	
4 141	No	7 - 11	
7 372.6	No	T	
5 296	No	12 - 18	
9 418.5	No	T	
3 109.5	No	T	
9 43.5	No	T	
9 88.5	No	T	

-Map Legend-

Depth Muck	Value per Cu. Yd. stripped working depth.
Total Working Depth	Value per Cu. Yd. total working depth.

-Summary-

Average Depth Muck	1.0 ft
" " Gravel	9.5 "
" " Pay in Bedrock	2.4 "
" Working Depth unstripped	15.8 "
Proportion of gold in gravel	26.87%
" " " " bedrock	73.13%
Average value of ground (numerical)	24.91¢
Average depth of ground when stripped	15.8 ft
Average value of ground foot cent basis	23.56¢
Total area covered (acres)	70.5
" Cu. Yds. to working depth	1798830
" Gold Content	\$417,613.48
" area covered (Sq.Yds.)	341,550

TABULATION OF DRILL
QUARTZ CREEK EXAMINATION OF

Hole No.	Claim No.	Depth of Muck	Depth of Gravel	Depth of pay in Bedrock	Total Working Depth	Total Depth Drilled	Wgt. Gold in Gravel Mgs.	Wgt. Gold in B. R. Mgs.	Value Total
48	U $\frac{1}{2}$ 33	15	7	1	23	26	14	1	
49	U $\frac{1}{2}$ 33	8	19	1	28	29	23	Tr.	
50	U $\frac{1}{2}$ 33	10	11	2	24	25	10	11	
51	L $\frac{1}{2}$ 34	15	8	0	24	26	6	0	
52	L $\frac{1}{2}$ 34	10	16	3	29	29	29	8	
53	L $\frac{1}{2}$ 34								
54		35	10	13	2	26	26	3	5
55		35	10	13	1	26	26	55	1
56		35	13	9	1	24	26	11	0
57	L $\frac{1}{2}$ 36	14	9	6	28	28	29	36	
58	L $\frac{1}{2}$ 36	13	13	1	28	29	17	1	
59	L $\frac{1}{2}$ 36	13	13	1	28	29	6	Trace	
60		38	13	8	3	24	24	63	8
61		38	12	13	2	27	28	22	1
62		38	12	13	2	29	27	1	2
63		39	10	15	2	28	27	6	2
64		39-A	10	11	4	24	25	5	9
65		40	11	9	5	25	25	Trace	3
66		41	10	11	4	24	24	5	2
67	L $\frac{1}{2}$ 42	12	9	4	26	26	5	10	
68		42-A	10	9	3	23	23	59	22
69		42-A	9	9	4	22	22	77	44
70		42-A	9	8	3	19	20	4	3
71	L $\frac{1}{2}$ 42	8	9	3	20	20	8	3	
72	L $\frac{1}{2}$ 42	9	8	3	21	21	17	6	
73		43	4	14	7	23	22	11	9
74		43	5	8	5	17	17	22	48
75		45	11	9	4	25	25	29	92
76		45	20	8	3	31	31	4	28
107		45	13	9	5	26	26	88	42
108		45	12	11	7	29	29	7	187
109		45	21	13	1	36	37	8	125
110		43	16	7	2	26	26	3	4
111		42-A	16	9	4	30	30	23	21
112	L $\frac{1}{2}$ 42	16	12	3	31	31	65	4	
113		41	19	8	3	31	31	27	2
114		41	26	10	3	40	40	32	45
115		41	18	17	2	37	37	72	9
116		38	27	12	5	45	45	133	213
117	L $\frac{1}{2}$ 36	30	9	1	42	42	18	4	
118		35	26	12	4	44	44	180	65
119	L $\frac{1}{2}$ 34	27	8	2	37	39	7	5	
120	U $\frac{1}{2}$ 33	20	14	4	40	40	69	56	
121		32	15	6	4	26	27	29	37
122		32	14	8	2	26	27	17	15

Average Depth of Muck
 " " " Gravel
 " " " Pay in Bedrock
 " Working depth unstripped
 Proportion of Total Gold in Gravel
 " " " " " Bedrock

Total
 Workable Area
 13.6 ft.
 10.5 "
 3.0 "
 27.6 "
 52.19%
 47.81%

Summary-
 Total Area
 15.7
 9.7
 3.3
 29.3
 49.23%
 50.77%

Average value of Gr
 depth "
 value "
 Total Area Covered
 Cu. Yds. Stri
 Gold Content

OF DRILLING RESULTS 1933
STATION OPPOSITE GROUND SLICED AREA

No.	Value per Cu. Yd.		Stripped Value per Cu. Yd.		Values out on account of swell?	FROST		REMARKS
	Total Working Depth		Gravel and Bedrock Only Depth	Value Ft. Cents		From ft.	To ft.	
	2.8		15 ft.	4.4	66.0	No	1 - 25	Working depth taken one foot below the pay. Slide--Left Rim--not completed--disregard.
	3.6		20	5.1	102.0	No	1 - 26	
	3.9		14	6.6	92.4	No	1 - 25	
	1.1		9	2.9	26.1	No	1 - 26	
	5.6		19	8.6	163.4	No	1 - 29	
	1.4		16	2.2	35.2	No	1 - 26	
	9.5		16	15.4	246.4	No	1 - 26	
	2.0		11	4.4	48.4	No	1 - 26	
	10.2		14	20.4	285.6	No	1 - 28	
	2.8		15	5.3	79.5	No	1 - 29	
	0.9		15	1.8	27	No	1 - 29	
	13.0		11	28.4	312.4	No	1 - 24	
	3.7		15	6.7	100.5	No	1 - 28	
	0.5		17	0.8	13.6	No	1 - 27	
	1.3		18	2.0	36	No	1 - 27	
	2.6		14	4.4	61.6	No	1 - 25	
	0.5		14	0.9	12.6	No	1 - 25	
	1.3		14	2.2	30.8	No	1 - 24	
	2.5		14	4.7	65.8	No	1 - 26	
	15.5		13	27.4	356.2	No	1 - 23	
	24.2		13	40.9	531.7	No	1 - 22	
	1.6		10	3.1	31.0	No	1 - 20	
	2.4		12	4.1	49.2	No	1 - 20	
	4.8		12	8.4	100.8	No	1 - 21	
	3.8		19	4.6	87.4	No	1 - 11	
	18.1		12	25.6	307.2	No	1 - T	
	21.2		14	38	532	No	1 - 25	
	4.5		11	12.8	139.5	No	1 - 31	
	22.0		14	40.8	571.2	No	1 - 26	
	29.4		17	50.0	850	No	1 - 29	
	16.3		15	39.0	585	No	1 - 37	
	1.2		10	3.1	31	No	1 - 26	
	6.4		14	13.8	193.2	No	1 - 30	
	9.8		15	20.2	303	No	1 - 31	
	4.1		12	10.6	127.2	No	1 - 31	
	8.5		14	24.2	338.8	No	1 - 40	
	9.6		19	18.2	345.8	No	1 - 37	
	33.8		18	84.5	1521.0	No	1 - 45	
	2.3		12	8.1	97.2	No	1 - 42	
	24.5		18	59.9	1078.2	No	1 - 44	
	1.4		10	5.3	53.0	No	1 - 39	
	13.7		20	27.5	550.0	No	1 - 40	
	11.1		11	26.4	290.4	No	1 - 27	
	5.4		12	11.7	140.4	No	1 - 27	

Total		Workable Area		Total Area	
8.8		12.3			
13.9 ft.		13.6 ft.			
17.54		26.46			
		247,200		Sq. Yds.	
		1,120,640		Cu. Yds.	
		\$296,531.34			

Value of Ground (Ft. & Basis) unstripped
 " " " when stripped
 " " " " (Ft. Cent basis)
 Covered (Acres)
 Content

Holes marked X not included in Workable Area.

TABULATION OF DRILLING RESULTS
QUARTZ CREEK EXAMINATION GROUND SLUICED AREA 1 9 3 3.

Hole No.	Claim No.	Depth of Muck	Depth of Gravel	Depth of pay in Bedrock	Total Working Depth	Total Depth Drilled	Wgt. Gold in Gravel Mgs.	Wgt. Gold in B. R. Mgs.	Value per Cu Total Working Value	Ft
1	45	0	11	0	15	21	3	1	1.24	
2	45	3	7	5	17	18	18	51	17.8	
3	45	8	8	5	22	22	15	151	33.2	
4	43	0	14	1	16	20	41	2	11.8	
5	43	0	14	0	15	20	4	1	1.5	
6	43	0	15	1	17	17	69	12	21	
7	42-A	0	14	3	17	17	12	341	91.4	
8	42-A	0	15	2	18	18	24	18	10.3	
9	42-A	0	13	2	16	16	12	28	11	
10	L $\frac{1}{2}$ 42	0	11	2	15	13	68	74	41.6	
11	L $\frac{1}{2}$ 42	0	11	2	15	14	38	25	18.5	
12	L $\frac{1}{2}$ 42	0	11	3	15	16	2	29	9.1	
13	L $\frac{1}{2}$ 42	0	9	1	15	12	8	2	2.9	
14	41	0	11	2	15	15	8	14	6.4	
15	41	0	11	3	15	14	53	32	25	
16	41	0	9	4	15	14	70	27	28.5	
17	41	0	9	1	15	12	2	1	0.9	
18	40	0	12	5	17	18	3	302	79	
19	40	0	11	3	15	16	15	17	9.4	
20	40	0	7	3	15	11	14	204	64	
21	39-A	0	11	3	16	16	19	35	14.8	
22	39-A	0	11	1	15	14	14	6	5.9	
23	39-A	0	10	4	15	15	7	5	3.5	
24	39-A	0	11	5	16	16	34	435	129	
25	39	3	14	3	21	21	134	192	68.3	
26	39	0	12	3	16	18	8	8	4.4	
27	38	0	7	4	15	11	4	71	22	
28	38	0	10	1	15	13	30	10	11.8	
29	38	0	6	2	15	10	1	22	6.8	
30	38	0	8	2	15	13	32	12	12.9	
31	L $\frac{1}{2}$ 36	0	7	1	15	9	44	13	16.7	
32	L $\frac{1}{2}$ 36	3	5	1	15	11	28	35	18.5	
33	L $\frac{1}{2}$ 36	6	5	0	15	14	Trace	0	0	
34	L $\frac{1}{2}$ 36	0	7	2	15	12	7	33	11.7	
35	35	0	9	1	15	12	1	7	2.4	
36	35	6	6	2	16	16	Trace	152	41.8	
37	35	0	7	2	15	12	8	2	2.9	
38	35	0	8	2	15	11	13	12	7.3	
39	L $\frac{1}{2}$ 34	9	3	4	17	17	3	170	44.7	
40	L $\frac{1}{2}$ 34	4	3	3	15	11	60	155	63.1	
41	L $\frac{1}{2}$ 34	0	7	2	15	11	9	23	9.4	
42	L $\frac{1}{2}$ 34	0	9	8	18	18	10	75	20.7	
43	U $\frac{1}{2}$ 33	4	9	3	16	19	5	62	18.5	
44	U $\frac{1}{2}$ 33	0	13	1	15	16	83	12	27.9	
45	U $\frac{1}{2}$ 33	0	10	2	15	13	19	6	7.3	
46	32	0	7	1	15	10	4	6	2.9	
47	32	0	10	1	15	13	10	10	5.9	

Value per Cu. Yard		Values cut on account of swell?	FROST		REMARKS
Total Working Value	Depth Ft. Cents		From ft.	To ft.	
1.2	18.0	No		T	Minimum working depth 15 feet. If greater than 15 feet taken ^{as} one foot below pay. Working depth calculated on basis of no additional stripping in this area and includes overburden remaining on ground at present.
17.8	302.6	No		T	
33.2	730.4	No	1	- 22	
11.8	188.8	No		T	
1.5	22.5	No		T	
21	357	No		T	
91.4	1553.8	No		T	
10.3	185.4	No		T	
11	176	No		T	
41.6	624	No	4	- 15	
18.5	277.5	No		T	No drill holes have been eliminated in this area.
9.1	136.5	No		T	
2.9	43.5	No	8	- 12	
6.4	96	No		T	
25	375	No		T	
28.5	427.5	No		T	
0.9	13.5	No		T	
79	1343	No		T	
9.4	141	No		T	
64	960	No		T	
14.8	236.8	No	14	- 16	-Map Legend- Depth Muck Value per Cu. Yd. stripped working depth. Total Working Depth Value per Cu. Yd. total working depth.
5.9	88.5	No		T	
3.5	52.5	No		T	
129	2064	No	8	- 16	
68.3	1434.3	No	3	- 21	
4.4	70.4	No	16	- 18	
22	330	No		T	
11.8	177	No	6	- 13	
6.8	102	No		T	
12.9	193.5	No		T	
16.7	250.5	No		T	-Summary- Average Depth Muck 1.0 ft " " Gravel 9.5 " " " Pay in Bedrock 2.4 " " Working Depth unstripped 15.8 " Proportion of gold in gravel 26.87% " " " " bedrock 73.13% Average value of ground (numerical) 24.91¢ Average depth of ground when stripped 15.8 ft Average value of ground foot cent basis 23.56¢ Total area covered (acres) 70.5 " Cu. Yds. to working depth 1798830 " Gold Content \$417,613.48 " area covered (Sq.Yds) 341,550
18.5	277.5	No	3	- 11	
0	0	No	3	- 13	
11.7	175.5	No		T	
2.4	36	No		T	
41.8	668.8	No	5	- 16	
2.9	43.5	No	9	- 12	
7.3	109.5	No		T	
44.7	759.9	No	5	- 17	
63.1	946.5	No	5	- 11	
9.4	141	No	7	- 11	
20.7	372.6	No		T	
18.5	296	No	12	- 18	
27.9	418.5	No		T	
7.3	109.5	No		T	
2.9	43.5	No		T	
5.9	88.5	No		T	

TABULATION OF DRILL
QUARTZ CREEK EXAMINATION O.

Hole No.	Claims No.	Depth of Muck	Depth of Gravel	Depth of pay in Bedrock	Total Working Depth	Total Depth Drilled	Wgt. Gold in Gravel Mgs.	Wgt. Gold in B. R. Mgs.	Value Tot
48	U $\frac{1}{2}$	33	15	7	1	23	26	14	1
49	U $\frac{1}{2}$	33	8	19	1	28	29	23	Tr.
50	U $\frac{1}{2}$	33	10	11	2	24	25	10	11
51	L $\frac{1}{2}$	34	15	8	0	24	26	6	0
52	L $\frac{1}{2}$	34	10	16	3	29	29	29	8
53	L $\frac{1}{2}$	34							
54		35	10	13	2	26	26	3	5
55		35	10	13	1	26	26	55	1
56		35	13	9	1	24	26	11	0
57	L $\frac{1}{2}$	36	14	9	6	28	28	29	36
58	L $\frac{1}{2}$	36	13	13	1	28	29	17	1
59	L $\frac{1}{2}$	36	13	13	1	28	29	6	Trace
60		38	13	8	3	24	24	63	8
61		38	12	13	2	27	28	22	1
62		38	12	13	2	29	27	1	2
63		39	10	15	2	28	27	6	2
64		39-A	10	11	4	24	25	5	9
65		40	11	9	5	25	25	Trace	3
66		41	10	11	4	24	24	5	2
67	L $\frac{1}{2}$	42	12	9	4	26	26	5	10
68		42-A	10	9	3	23	23	59	22
69		42-A	9	9	4	22	22	77	44
70		42-A	9	8	3	19	20	4	3
71	L $\frac{1}{2}$	42	8	9	3	20	20	8	3
72	L $\frac{1}{2}$	42	9	8	3	21	21	17	6
73		43	4	14	7	23	22	11	9
74		43	5	8	5	17	17	22	48
75		45	11	9	4	25	25	29	92
76		45	20	8	3	31	31	4	28
107		45	13	9	5	26	26	88	42
108		45	12	11	7	29	29	7	187
109		45	21	13	1	36	37	8	125
110		43	16	7	2	26	26	3	4
111		42-A	16	9	4	30	30	23	21
112	L $\frac{1}{2}$	42	16	12	3	31	31	65	4
113		41	19	8	3	31	31	27	2
114		41	26	10	3	40	40	32	45
115		41	18	17	2	37	37	72	9
116		38	27	12	5	45	45	133	213
117	L $\frac{1}{2}$	36	30	9	1	42	42	18	4
118		35	26	12	4	44	44	180	65
119	L $\frac{1}{2}$	34	27	8	2	37	39	7	5
120	U $\frac{1}{2}$	33	20	14	4	40	40	69	56
121		32	15	6	4	26	27	29	37
122		32	14	8	2	26	27	17	15

				~~Total~~ ^{workable} ~~Summary~~			
				<u>Workable Area</u>	<u>Total Area</u>		
Average Depth of Muck				13.6 ft.	15.7	Average value of Gr	
"	"	"	Gravel	10.5 "	9.7	"	depth "
"	"	"	Pay in Bedrock	3.0 "	3.3	"	value "
"	Working depth unstripped			27.6 "	29.3	Total Area Covered	
Proportion of Total Gold in Gravel				52.19%	49.23%	"	Cu. Yds. Stri
"	"	"	" " Bedrock	47.81%	50.77%	"	Gold Content

F DRILLING RESULTS 1933
 TION OPPOSITE GROUND SLICED AREA

Value per Cu. Yd. Total Working Depth	Stripped Gravel and Bedrock Only Depth	Value Ft.	Value per Cu. Yd. Ft. Cents	Values cut on account swell?	FROST From ft.	To ft.	REMARKS
2.8¢	15 ft.	4.4¢	66.0	No X	1	- 25	Working depth taken one foot below the pay. Slide--Left Rim--not com- pleted--dis- regard.
3.6¢	20	5.1¢	102.0	No X	1	- 28	
3.9	14	6.6	92.4	No X	1	- 25	
1.1	9	2.9	26.1	No X	1	- 26	
5.6	19	8.6	163.4	No X	1	- 29	
1.4	16	2.2	35.2	No X	1	- 26	
9.5	16	15.4	246.4	No X	1	- 26	
2.0	11	4.4	48.4	No	1	- 26	
10.2	14	20.4	285.6	No	1	- 28	
2.8	15	5.3	79.5	No X	1	- 29	
0.9	15	1.8	27	No X	1	- 29	
13.0	11	28.4	312.4	No	1	- 24	
3.7	15	6.7	100.5	No X	1	- 28	
0.5	17	0.8	13.6	No X	1	- 27	
1.3	18	2.0	36	No	1	- 27	
2.6	14	4.4	61.6	No X	1	- 25	
0.5	14	0.9	12.6	No X	1	- 25	
1.3	14	2.2	30.8	No X	1	- 24	
2.5	14	4.7	65.8	No X	1	- 26	
15.5	13	27.4	356.2	No	1	- 23	
24.2	13	40.9	531.7	No	1	- 22	
1.6	10	3.1	31.0	No X	1	- 20	
2.4	12	4.1	49.2	No X	1	- 20	
4.8	12	8.4	100.8	No X	1	- 21	
3.8	19	4.6	87.4	No	1	- 11	
18.1	12	25.6	307.2	No		T	
21.2	14	38	532	No	1	- 25	
4.5	11	12.8	139.5	No	1	- 31	
22.0	14	40.8	571.2	No	1	- 26	
29.4	17	50.0	850	No	1	- 29	
16.3	15	39.0	585	No	1	- 37	
1.2	10	3.1	31	No	1	- 26	
6.4	14	13.8	193.2	No	1	- 30	
9.8	15	20.2	303	No	1	- 31	
4.1	12	10.6	127.2	No	1	- 31	
8.5	14	24.2	338.8	No	1	- 40	
9.6	19	18.2	345.8	No	1	- 37	
33.8	18	84.5	1521.0	No	1	- 45	
2.3	12	8.1	97.2	No	1	- 42	
24.5	18	59.9	1078.2	No	1	- 44	
1.4	10	5.3	53.0	No	1	- 39	
13.7	20	27.5	550.0	No	1	- 40	
11.1	11	26.4	290.4	No	1	- 27	
5.4	12	11.7	140.4	No	1	- 27	

	<u>Total</u> Workable Area	<u>Workable</u> Total Area
of Ground (Ft. Basis) unstripped	8.8¢	12.3¢
" " when stripped	13.9 ft.	13.6 ft.
" " " (Ft. Cent basis)	17.54¢	26.46¢
covered (Acres)		247,200 Sq. Yds.
. Stripped		1,120,640 Cu. Yds.
ment		\$296,531.34

Holes marked X not included in Workable Area.

Hole No.	Claim No.	Depth of Muck	Depth of Gravel	Depth of Pay in Bedrock	Total Working Depth	Total Depth Drilled	Wgt. Gold in Gravel Mgs.	Wgt. Gold in B. R. Mgs.	T
77	46	12	12	5	30	30	35	298	
78	46	20	11	2	34	34	13	5	
79	47	11	10	1	23	24	29	1	
80	46	10	8	6	22	22	257	25	
81	46	9	9	3	21	22	14	5	
82	46	11	4	4	20	20	7	12	
83	47	6	9	3	19	19	9	8	
84	47	5	9	10	25	25	82	198	
85	48	9	0	10	20	20	0	141	
86	48	3	10	5	19	19	18	46	
87	49	11	3	3	18	19	3	12	
88	49	10	6	4	20	20	45	11	
89	49	10	7	3	21	21	24	Tr.	
90	50	12	3	3	19	20	15	3	
91	50	11	1	6	20	20	10	15	
92	50	11	2	2	16	16	2	1	
93	51	4	5	3	15	14	15	2	
94	51	7	6	4	17	17	111	55	
95	51	3	4	4	15	12	11	2	
96	51	4	0	5	15	13	0	2	
97	51	3	2	6	15	12	23	53	
98	50	5	5	5	15	15	49	45	
99	50	5	2	1	15	11	Tr.	Tr.	
100	49	7	5	3	16	16	27	9	
101	49	10	2	5	19	19	8	53	
102	48	20	14	2	36	36	9	Tr.	
103	48	7	8	2	18	18	11	0	
104	48	9	5	4	18	18	72	24	
105	47	8	11	2	22	23	17	6	
106	46	14	6	2	22	23	20	Tr.	

- SUMMARY -

	Workable Area	Total Area
Average Depth of Muck	8.0 ft.	8.5 ft.
Average Depth of Ground	5.4 ft.	6 ft.
Average Depth of Pay in Bedrock	4.1 ft.	4 ft.
Average Working Depth Unstripped	19.0 ft.	20 ft.
Proportion of Total Gold in Ground	46.42%	36.95%
" " " " in Bedrock	53.58%	63.05%
Average Value of Ground (numerical) Unstripped	15.9 per Cu.Yd.	13.85 pe
Average Depth of Ground when Stripped	11.0 ft.	11.3 ft.
Average Value of Ground when Stripped (Ft. Cent basis)	27.53 per Cu.Yd.	24.79 pe
Total Area Covered	263,300 Sq. Yds.	
Total Cu. Yds. (Stripped)	965,433 Cu. Yds.	
Total Gold Content	\$274,783.70	

ION OF DRILLING RESULTS

NATION BELOW GROUND SLUICED AREA

1 9 3 3

. Gold B. R. Mgs.	Value per Cu. Yd. Total Depth	Stripped Value per Cu.Yd. Gravel and Bedrock only	Values cut on account of swell?	Frost	Remarks
		Depth Value Ft. Cents		From To ft. ft.	
298	48.8	18 ft. 81.4	1465.2	No	1-30 Working
5	2.3 X	14 5.6	78.4	No	1-34 Depth
1	5.7	12 11.0	132.0	No	1-24 taken one
25	56.4	12 103.4	1240.8	No	1-22 ft. below
5	4.0	12 7.0	84	No	1-22 pay.
12	4.2	9 9.3	83.7	No	1-20
8	3.9	13 5.7	74.1	No	1-19
198	49.2	20 61.6	1232	No	1-25
141	21.2	11 38.5	423.5	Yes	1-20
46	11.0	16 13.0	208	Yes	1-19
12	3.7	7 9.4	65.8	No	1-19
11	12.3	10 24.6	246	No	1-20
Tr.	4.0 X	11 7.6	83.6	Yes	1-21
3	4.2	7 11.3	79.1	No	1-20
15	5.5	9 12.2	109.8	No	1-20
1	0.8	5 2.6	13	No	1-16
2	5.0	11 8.3	91.3	No	1-14
55	43.0	10 73	730	No	1-17
2	3.8	12 4.8	57.6	No	1-12
2	0.6	11 0.8	8.8	No	1-13
53	22.3	12 27.8	333.6	No	1-12
45	27.6	10 41.3	413	No	1-15
Tr.	Tr.	10 T r a c e		No	1-11
9	9.9	9 17.6	158.4	No	1-16
53	14.1	9 29.8	268.2	No	1-19
Tr.	1.1 X	16 2.5	40.0	No	1-36
0	2.7	11 4.4	48.4	No	1-18
24	23.4	9 46.9	422.1	No	1-18
6	4.6	14 7.2	100.8	No	1-23
Tr.	4.0	8 11.0	88	No	1-23

al Area

8.5 ft.
6 ft.
4 ft.
20 ft.
36.95%
63.05%
13.85 per Cu. Yd.
11.3 ft.
24.79 per Cu. Yd.

Holes marked X not included in Workable Area.

my



Library and Archives
Canada

395 Wellington Street
Ottawa, ON K1A 0N4

Bibliothèque et Archives
Canada

395, rue Wellington
Ottawa, ON K1A 0N4

For material still subject to legislative, contractual or institutional obligations, users warrant that they will respect those obligations and not use LAC collections in a manner that would infringe the rights of others. Liability that may arise in the use of a copy is assumed in full by the user. LAC accepts no responsibility for unauthorized use of collection material by users.

To ensure proper citation and to facilitate relocation of an item, the source of the material and its reference number should always accompany the copy.

Pour les documents faisant encore l'objet d'obligations législatives, contractuelles ou institutionnelles, les usagers s'engagent à respecter ces obligations et à ne pas utiliser les documents des collections de BAC de façon à nuire aux droits d'autrui. Ils doivent assumer entièrement toute responsabilité qui pourrait découler de l'utilisation d'une reproduction de document. BAC décline toute responsabilité quant à l'utilisation non autorisée de documents provenant de ses collections.

Afin de citer un document avec exactitude et d'en faciliter le repérage, sa source et son numéro de référence doivent toujours accompagner la reproduction.

TITLE/TITRE _____
RG _____ MG ²⁸ R- _____ SERIES/SÉRIE ^{III-43} _____
ACCESSION _____ VOL ⁵⁹ PAGE(S) ¹⁰ _____
BOX/BOÎTE _____ REEL/BOBINE _____
FILE/DOSSIER Can. Klondyke Mining Co. Letters 1923, 1925, 1929. Report 1933.
DATE JULY 2013