


Muck depth figures shown
are for original muck.



figures shown
at muck.

PROPOSED CHANGE IN DREDGING PROGRAM

Lower Quartz Creek

1"=200'

QUARTZ CREEK EXAMINATION 1933 - 1934

WORKABLE AREA ONLY

TABULATION OF DRILL HOLES

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of BR	Total Pay Working Depth	Total Depth Drilled	Wt. in Gravel Mgs.	Wt. in B. R. Mgs.	Gold Value per Cubic Yd. Total Working Depth	Stripped Value per		Values cut on account of swell	FROST From-to	Remarks	
										Cu.Yd.	Gravel and B.R. Only Value Ft.¢				
21	3	15	2	1	25	26	4	5	1.6	15	2.6	39.0	No	1-25	U.S.
	1	13	3	2	26	26	48	55	17.4	15	30.2	452.4	"	1-26	"
	2	15	7	1	24	25	6	2	1.4	15	2.3	35.1	"	1-21	"
22A	2	17	4		27	27	2		0.3	15	0.5	8.0	"	1-17	"
23	3	12	12		34	34	20		2.6	22	4.0	88.0	"	10-34	"
	1	13	9	3	28	29	525	337	135.4	15	252.8	3792.0	"	1-26	"
	2	15	7	1	24	24	57	4	9.0	15	14.3	214.5	Yes	1-24	"
	4	16	7	2	27	27	3	25	4.6	15	8.2	123.0	No	1-27	"
	6	12	10	1	25	25	16	44	10.6	15	17.6	264.0	"	1-25	"
	U $\frac{1}{2}$ 24	5	18	2	4	33	34	29	45	9.8	15	21.7	325.5	"	1-33
	3	14	6	1	28	29	125	24	23.4	15	43.7	655.5	"	1-28	"
	1	12	7	2	23	23	195	50	46.8	15	71.9	1078.5	"	1-23	"
25	144A	14	12		30	30	135		19.8	16	37.1	593.6	Yes	14-30	"
	144	16	12	1	31	31	369	4	52.9	15	108.3	1624.5	"	1-31	"
	145	13	10	1	25	25	154	24	31.3	15	52.2	783.0	"	16-25	"
	146	11	9		22	23	11		2.2	15	3.2	48.4	No	1-23	"
	26	142	14	9	1	25	25	109	41	26.4	15	44.0	660.0	"	1-25
	143	18	5	1	26	26	42	3	7.6	15	13.2	198.0	"	1-25	"
	140	18	4	1	24	24	9	16	4.6	15	7.3	109.5	"	1-24	"
	141	12	8	2	24	23	19	26	8.2	15	13.2	198.0	"	1-23	"
27	138	11	13		27	27				16			"	1-27	"
	139	17	7	1	27	27	25	10	5.7	15	10.3	154.5	"	1-27	"
	137	12	6	2	22	22	13	12	5.0	15	7.3	109.5	"	1-22	"
28	135	7	10		18	20				15			"	1-20	"
	136	12	6	2	21	21	3	1	0.8	15	1.2	18.0	"	1-21	"
	132	11	7	2	21	21	38	205	50.9	15	71.2	1068.0	"	1-21	"
29	133	16	2	2	22	22	14	37	10.2	15	14.9	223.5	"	1-22	"
	134	6	12	2	21	21	20	4	5.0	15	7.0	105.0	"	1-21	"
	131	2	10	2	15	16	107	3	32.3	15	32.3	484.5	"	1-16	"

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of Pay in B R	Total Working Depth	Total Depth Drilled	Wt. Gold in Gravel Mgs.	Wt. Gold in B. R. Mgs.	Value per Cubic Yd. Total Work- ing Depth	Stripped Cu.Yd. B.R. Only	Value per Gravel and on account of swell	Values cut	FROST	Remarks	
												From-to			
29	130		12	2	15	15	349	13	106.2	15	106.2	1593.0	No	1-15	U.S.
	129	11	2	2	16	16	130	9	38.2	15	40.7	610.5	"	1-16	"
	128	11	6	2	20	20	134	231	80.3	15	107.1	1606.5	"	1-20	"
30	1	11	5	2	19	19	95	41	31.4	15	39.9	598.5	"	1-19	"
	2	11	6	1	20	20	14	5	4.2	15	5.6	84.0	"	1-20	"
	1	13	7	1	22	23	30	11	8.2	15	12.0	180.0	"	1-13	"
31	2	12	5	1	20	20	67	21	19.3	15	25.1	376.5	"	1-20	"
	4	11	7	1	20	20	20	1	4.6	15	6.2	93.0	"	1-20	"
	1	7	7	1	16	17	Tr.	16	4.4	15	4.7	70.5	"	1-17	"
	127	11	7	2	21	22	4	1	1.0	15	1.5	22.5	"	1-22	"
	126		8	2	15	13	146	22	49.3	15	49.3	739.5	"	1-8	S.
31A	2	12	9	1	24	25	33	85	21.7	15	34.6	519.0	"	1-25	U.S.
	123	16	9	1	28	28	12	20	5.0	15	9.4	141.0	"	1-28	"
	1	12	11	2	27	27	73	9	10.9	15	19.7	295.5	Yes	1-27	"
32	2	12	11	2	28	28	60	69	16.3	16	28.6	457.6	"	1-28	"
	122	14	8	2	26	27	17	15	5.4	15	9.4	141.0	No	1-27	"
	121	15	6	4	26	27	29	37	11.1	15	19.4	291.0	"	1-27	"
	47		10	1	15	13	10	10	5.9	15	5.9	88.5	"	T	S.
	46		7	1	15	10	4	6	2.9	15	2.9	43.5	"	T	"
U $\frac{1}{2}$	33	45	10	2	15	13	19	6	7.3	15	7.3	109.5	"	T	"
	120	20	14	4	40	40	69	56	13.7	20	27.5	550.0	"	1-40	U.S.
	44		13	1	15	16	83	12	27.9	15	27.9	418.5	"	T	S.
	43	4	9	3	16	19	5	62	18.4	15	19.6	294.0	"	12-18	P.S.
34	42		9	8	18	18	10	75	20.7	18	20.7	372.6	"	T	S.
	119	27	8	2	37	39	7	5	1.4	15	3.5	52.5	"	1-39	U.S.
	40	4	3	3	15	11	60	125	63.1	15	63.1	946.5	"	5-15	P.S.
35	39	9	3	4	17	17	3	170	44.7	15	50.7	760.5	"	5-17	P.S.
	38		8	2	15	11	13	12	7.3	15	7.3	109.5	"	T	S.
	37		7	2	15	12	8	2	2.9	15	2.9	43.5	"	9-15	"
	118	26	12	4	44	44	180	65	24.5	18	59.9	1078.2	"	1-44	U.S.
	36	6	6	2	16	16	Tr.	152	41.8	15	44.6	669.0	"	5-16	"
36	35		9	1	15	12	1	7	2.4	15	2.4	36.0	"	T	S.
	34		7	2	15	12	7	33	11.7	15	11.7	175.5	"	T	"
	57	14	9	6	28	28	29	36	10.2	15	19.0	285.0	"	1-28	U.S.
	117	30	9	1	42	42	18	4	2.3	15	6.4	96.0	"	1-42	"
	33	6	5		15	14	Tr.	Tr.	Tr.	15	Tr.		"	3-15	"
	32	3	5	1	15	11	28	35	18.5	15	18.5	277.5	"	3-15	P.S.

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of Pay in BR	Total Working Depth	Total Depth Drilled	Wt. Gold in Gravel Mgs.	Wt. Gold in B. R. Mgs.	Value per Cubic Yd. Total Working Depth	Stripped Cu. Yd. B.R. Only	Value per Gravel and on account of swell	Values cut on account of swell	FROST From-to	Remarks	
36	31		7	1	15	9	44	13	16.7	15	16.7	250.5	No	T	S.
38	30		8	2	15	13	32	12	12.9	15	12.9	193.5	"	T	"
	29		6	2	15	10	1	22	6.8	15	6.8	102.0	"	T	"
	60	13	8	3	24	24	63	8	13.0	15	20.8	312.0	"	1-24	U.S.
	116	27	12	5	45	45	133	213	33.8	18	84.5	1521.0	"	1-45	"
	28		10	1	15	13	30	10	11.8	15	11.8	177.0	"	6-15	S.
	27		7	4	15	11	4	71	22.0	15	22.0	330.0	"	T	"
39	26		12	3	16	18	8	8	4.4	16	4.4	70.4	"	16-18	"
	25	3	14	3	21	21	134	192	68.3	18	79.6	1432.8	"	3-21	U.S.
	63	10	15	2	28	27	6	2	1.3	18	2.0	36.0	"	1-27	"
39A	115	18	17	2	37	37	72	9	9.6	19	18.2	345.8	"	1-37	"
	24		11	5	16	16	34	435	129.0	16	129.0	2064.0	"	8-16	S.
	23		10	4	15	15	7	5	3.5	15	3.5	52.5	"	T	"
	22		11	1	15	14	14	6	5.9	15	5.9	88.5	"	T	"
	21		11	3	16	16	19	35	14.8	16	14.8	236.8	"	14-16	"
40	114	26	10	3	40	40	32	45	8.5	15	22.6	339.0	"	1-40	U.S.
	20		7	3	15	11	14	204	64.0	15	64.0	960.0	"	T	S.
	19		11	3	15	16	15	17	9.4	15	9.4	141.0	"	T	"
	18		12	5	17	18	3	302	79.0	17	79.0	1343.0	"	T	"
41	113	19	8	3	31	31	27	2	4.1	15	8.5	127.5	"	1-31	U.S.
	17		9	1	15	12	2	1	0.9	15	0.9	13.5	"	T	S.
	16		9	4	15	14	70	27	28.5	15	28.5	427.5	"	T	"
	15		11	3	15	14	53	32	25.0	15	25.0	375.0	"	T	"
	14		11	2	15	15	8	14	6.4	15	6.4	96.0	"	T	"
L $\frac{1}{2}$ 42	112	16	12	3	31	31	65	4	9.8	15	20.2	303.0	"	1-31	U.S.
	13		9	1	15	12	8	2	2.9	15	2.9	43.5	"	8-12	S.
	12		11	3	15	16	2	29	9.1	15	9.1	136.5	"	T	"
	11		11	2	15	14	38	25	18.5	15	18.5	277.5	"	T	"
	10		11	2	15	13	68	74	41.6	15	41.6	624.0	"	4-15	"
42A	111	16	9	4	30	30	23	21	6.4	15	12.9	193.5	"	1-30	U.S.
	9		13	2	16	16	12	28	11.0	16	11.0	176.0	"	T	S.
	8		15	2	18	18	24	18	10.3	18	10.3	185.4	"	T	"
	7		14	3	17	17	12	341	91.4	17	91.4	1553.8	"	T	"
	68	10	9	3	23	23	59	22	15.5	15	23.8	357.0	"	1-23	U.S.

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of Pay in BR	Total Working Depth	Total Depth Drilled	Wt. Gold in Gravel Mgs.	Wt. Gold in B. R. Mgs.	Value per Cubic Yd. Total Working Depth	Stripped Value per Cu.Yd. Gravel		Values cut on account of swell	FROST From-to	Remarks	
										B.R. Only Depth	Value Ft. & g				
42A	69	9	9	4	22	22	77	44	24.2	15	35.5	532.5	No	1-22	U.S.
43	110	16	7	2	28	28	3	4	1.1	15	2.1	31.5	"	1-28	"
	6		15	1	17	17	69	12	21.0	17	21.0	357.0	"	T	S.
	5		14		15	20	4	1	1.5	15	1.5	22.5	"	T	"
	4		14	1	16	20	41	2	11.8	16	11.8	188.8	"	T	"
	73	4	14	7	23	22	11	9	3.8	19	4.6	87.4	"	1-11	U.S.
	74	5	8	5	17	17	22	48	18.1	15	20.5	308.0	"	T	"
45	109	21	13	1	36	37	8	125	16.3	15	39.0	585.0	"	1-37	"
	108	12	11	7	29	29	7	187	29.4	17	50.0	850.0	"	1-29	"
	107	13	9	5	26	26	88	42	22.0	15	38.1	571.5	"	1-26	"
	3	8	8	5	22	22	15	151	33.2	15	48.7	730.5	"	1-22	"
	2	3	7	5	17	18	18	51	17.8	15	20.2	303.0	"	T	"
	1		11		15	21	3	1	1.2	15	1.2	18.0	"	T	S.
	75	11	9	4	25	25	29	92	21.3	15	35.5	532.5	"	1-25	U.S.
	76	20	8	3	31	31	4	28	4.5	15	9.4	141.0	"	1-31	"
46	106	14	6	2	22	23	20	Tr.	4.0	15	5.9	88.5	"	1-23	"
	81	9	9	3	21	22	14	5	4.0	15	5.6	84.0	"	1-22	"
	82	11	4	4	20	20	7	12	4.2	15	5.6	84.0	"	1-20	"
	80	10	8	6	22	22	257	25	56.4	15	82.7	1240.5	"	1-22	"
	77	12	12	5	30	30	35	298	48.8	18	81.4	1465.2	"	1-30	"
47	105	8	11	2	22	23	17	6	4.6	15	6.7	100.5	"	1-23	"
	83	6	9	3	19	19	9	8	3.9	15	5.0	75.0	"	1-19	"
	84	5	9	10	25	25	82	198	49.2	20	61.6	1232.0	"	1-25	"
	79	11	10	1	23	24	29	1	5.7	15	8.8	132.0	"	1-24	"
48	104	9	5	4	18	18	72	24	23.4	15	28.2	423.0	"	1-18	"
	86	3	10	5	19	19	18	46	11.0	16	13.0	208.0	Yes	1-19	"
	85	9		10	20	20		96	21.2	15	28.2	423.5	"	1-20	"
	103	7	8	2	18	18	11		2.7	15	3.2	48.0	No	1-18	"
49	88	10	6	4	20	20	45	11	12.3	15	16.4	246.0	"	1-20	"
	87	11	3	3	18	19	3	12	3.7	15	4.4	66.0	"	1-19	"
	100	7	5	3	16	16	27	9	9.9	15	10.5	157.5	"	1-16	"
	101	10	2	5	19	19	8	53	14.1	15	17.9	268.4	"	1-19	"
50	90	12	3	3	19	20	15	3	4.2	15	5.3	79.5	"	1-20	"
	91	11	1	6	20	20	10	15	5.5	15	7.3	109.5	"	1-20	"
	92	11	2	2	16	16	2	1	0.8	15	0.9	13.5	"	1-16	"
	98	5	5	5	15	15	49	45	27.6	15	27.6	413.6	"	1-15	"
51	94	7	6	4	17	17	111	55	43.0	15	48.7	730.5	"	1-17	"
	93	4	5	3	15	14	15	2	5.0	15	5.0	75.0	"	1-15	"

- Summary -

Average Depth of Muck	8.6 Ft.
Average Depth of Gravel	8.4 "
Average Depth of Pay in B. R.	2.5 "
Average Working Depth Unstripped	21.6 "
Average Depth of Ground when stripped	15.45 Ft.
Average Value of Ground Unstripped	18.62¢ per Cu.Yd.
Average Value of Ground Stripped	26.06¢ " "
Total Gold Content	\$1,848,863.00
Proportion of Gold in Gravel	49.32%
Proportion of Gold in B. R.	50.68%
Total Area Covered (284.6 acres)	1,377,600 Sq. Yds.
Total Cu. Yds. when stripped	7,094,640

Note: All values are calculated on a minimum working depth of 15 feet. Where depth is greater than 15 feet, working depth is taken as 1 foot below pay.

- Map Legend -

Depth of Muck	Value per Cu. Yd. Stripped Working Depth
Total Working Depth	Value per Cu. Yd. Total Working Depth

- Remarks -

S. -Stripped
 U.S.-Unstripped
 P.S.-Partially Stripped

QUARTZ CREEK EXAMINATION 1933 - 1934

GROUND SLICED AREA ONLY

TABULATION OF DRILL HOLES

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of Pay in BR	Total Working Depth	Total Depth Drilled	Wt. Gold in Gravel Mgs.	Wt. Gold in B. R. Mgs.	Value per Cu. Yd. Total Working Depth	Value per Cu. Yd. Ft. Cents	Values cut on account of swell	Frost From-to	Remarks
31	126		8	2	15	13	146	22	49.3	739.5	NO	1-8	S.
	1	7	7	1	16	17	Tr.	16	4.4	70.4	"	1-17	P.S.
32	47		10	1	15	13	10	10	5.9	88.5	"	T	S.
	46		7	1	15	10	4	6	2.9	43.5	"	T	"
U ₂ 33	45		10	2	15	13	19	6	7.3	109.5	"	T	"
	44		13	1	15	16	83	12	27.9	418.5	"	T	"
	43	4	9	3	16	19	5	62	18.4	294.4	"	12-19	P.S.
34	42		9	8	18	18	10	75	20.7	372.6	"	T	S.
	40	4	3	3	15	11	60	125	63.1	946.5	"	5-15	P.S.
35	39	9	3	4	17	17	3	170	44.7	760.5	"	5-17	"
	38		8	2	15	11	13	12	7.3	109.5	"	T	S.
	36	6	6	2	16	16	Tr.	152	41.8	668.8	"	5-16	P.S.
36	35		9	1	15	12	1	7	2.4	36.0	"	T	S.
	34		7	2	15	12	7	33	11.7	175.5	"	T	"
	32	3	5	1	15	11	28	35	18.5	277.5	"	3-15	P.S.
	31		7	1	15	9	44	13	16.7	250.5	"	T	S.
38	30		8	2	15	13	32	12	12.9	193.5	"	T	"
	28		10	1	15	13	30	10	11.8	177.0	"	6-15	"
	27		7	4	15	11	4	71	22.0	330.0	"	T	"
39	26		12	3	16	18	8	8	4.4	70.4	"	16-18	"
39A	24		11	5	16	16	34	435	129.0	2064.0	"	8-16	"
	23		10	4	15	15	7	5	3.5	52.5	"	T	"
	22		11	1	15	14	14	6	5.9	88.5	"	T	"
	21		11	3	16	16	19	35	14.8	236.8	"	14-16	"
40	20		7	3	15	11	14	204	64.0	960.0	"	T	"
	19		11	3	15	16	15	17	9.4	141.0	"	T	"
	18		12	5	17	18	3	302	79.0	1343.0	"	T	"
41	17		9	1	15	12	2	1	0.9	13.5	"	T	"
	16		9	4	15	14	70	27	28.5	427.5	"	T	"
	15		11	3	15	14	53	32	25.0	375.0	"	T	"
	14		11	2	15	15	8	14	6.4	96.0	"	T	"

Claim No.	Hole No.	Depth of Muck	Depth of Gravel	Depth of Pay in BR	Total Working Depth	Total Depth Drilled	Wt. Gold in Gravel Mgs.	Wt. Gold in B. R. Mgs.	Value per Cu. Yd. Total Working Depth	Cu. Yd. Values cut on account of swell	Frost From-to	Re-mark
L $\frac{1}{2}$ 42	13		9	1	15	12	8	2	2.9	43.5	No	8-12 S.
	12		11	3	15	16	2	29	9.1	136.5	"	T "
	11		11	2	15	14	38	25	18.5	277.5	"	T "
	10		11	2	15	13	68	74	41.6	624.0	"	4-15 "
42A	9		13	2	16	16	12	28	11.0	176.0	"	T "
	8		15	2	18	18	24	18	10.3	185.4	"	T "
	7		14	3	17	17	12	341	91.4	1553.8	"	T "
43	6		15	1	17	17	69	12	21.0	357.0	"	T "
	5		14		15	20	4	1	1.5	22.5	"	T "
	4		14	1	16	20	41	2	11.8	188.8	"	T "

- Summary -

Av. Depth of Muck	0.8 Ft.
Av. Depth of Gravel	9.7 Ft.
Av. Depth of Pay in B. R.	2.3 Ft.
Av. Working Depth	15.5 Ft.
Av. Value of Ground	24.32¢ per Cu.Yd.
Total Gold Content	\$473,325.00
Proportion of Gold in Gravel	29.33%
Proportion of Gold in B. R.	70.67%
Total Area Covered (79.4 acres)	384,650 Sq. Yds.
Total Cu. Yds.	1,987,358

- Map Legend -

Depth of Muck	Value per Cu. Yd. Stripped Working Depth
Total Working Depth	Value per Cu. Yd. Total Working Depth

Note:- All values are calculated on a minimum working depth of 15 feet. Where depth is greater than 15 feet working depth is taken as 1 foot below pay.

- Remarks -

s. Stripped
P.S. Partially stripped

SHAFTS SUNK ON NO. 23 BELOW KELLY'S LOCATION ON INDIAN RIVER
DURING SPRING OF 1913.

BY CHRISTOPHER FOTHERGILL

DEPTH OF HOLES

No. 1	Hole	-	10 ft.	struck water	thawed ground
" 2	"		16 ft.	3 ft. muck and sand	7 ft.
" 3	"		16½ ft.	3 ft. "	" " " 2½
" 4	"		16 ft.	3 ft. "	" " " 1
" 5	"		15 ft.	5 ft. "	" " " 5
" 6	"		15½ ft.	9 ft. sand	
" 7	"		15½ ft.	9 ft. "	
" 8	"		12½ ft.	6 ft. "	
" 9	"		12 ft.	6 ft. "	

NUMBER OF CUBIC FEET ROCKED FROM EACH HOLE

No. 1	Hole	rocked	1 cubic foot	recovered	3 cents	Est. Value per Cu. Yd.	Depth Gravel Bed-Rock	Foot Cents
No. 1	Hole	rocked	1 cubic foot	recovered	3 cents	81.0¢	10	810
" 2	"	"	6 "	feet	" 30 "	135.0	6	810
" 3	"	"	11 "	"	" 20 "	48.9	11	538
" 4	"	"	12 "	"	" 23 "	48.9	12	587
" 5	"	"	4 "	"	" 6 2/3¢	44.8	5	224
" 6	"	"	6 "	"	" 18 cents	81.0	6.5	527
" 7	"	"	6 "	"	" 25 "	112.8	6.5	733
" 8	"	"	6 "	"	" 20 "	90.0	6.5	585
" 9	"	"	6 "	"	" 10 "	44.8	6.0	269

Note:

Samples taken for entire depth of gravel
Sample cut as shaft was being sunk

69.5 5083

72.7¢ per Cu. Yd. gravel and bedrock only
8 ft. average depth.

DISTANCE BETWEEN HOLES

From No. 1	Hole	to	No. 2	-	250 feet	
" "	2	"	to	" 3	- 150 "	
" "	3	"	to	" 4	- 150 "	
" "	4	"	to	" 5	- 140 "	
" "	5	"	to	" 6	- 200 "	
" "	6	"	to	" 7	- 200 "	Est. gross value per lin. ft. river
" "	7	"	to	" 8	- 200 "	Valley -- 1440 x 8 11,520 cu. ft.
" "	8	"	to	" 9	- 150 "	- 427 cu. yds
					1440 "	427 x 72.7¢ - \$320.45

Note:

Holes sunk across full width of Indian River Valley.

By panning the sand we could only get a colour of gold occasionally, so what rocking was done was in gravel.
In prospecting the gravel, we made a box that held a cubic foot, and filled the box with gravel taken from each foot of depth.



Library and Archives
Canada

395 Wellington Street
Ottawa, ON K1A 0N4

Bibliothèque et Archives
Canada

395, rue Wellington
Ottawa, ON K1A 0N4

For material still subject to legislative, contractual or institutional obligations, users warrant that they will respect those obligations and not use LAC collections in a manner that would infringe the rights of others. Liability that may arise in the use of a copy is assumed in full by the user. LAC accepts no responsibility for unauthorized use of collection material by users.

To ensure proper citation and to facilitate relocation of an item, the source of the material and its reference number should always accompany the copy.

Pour les documents faisant encore l'objet d'obligations législatives, contractuelles ou institutionnelles, les usagers s'engagent à respecter ces obligations et à ne pas utiliser les documents des collections de BAC de façon à nuire aux droits d'autrui. Ils doivent assumer entièrement toute responsabilité qui pourrait découler de l'utilisation d'une reproduction de document. BAC décline toute responsabilité quant à l'utilisation non autorisée de documents provenant de ses collections.

Afin de citer un document avec exactitude et d'en faciliter le repérage, sa source et son numéro de référence doivent toujours accompagner la reproduction.

TITLE/TITRE _____
RG _____ MG ²⁸ _____ R- _____ SERIES/SÉRIE ^{III-43} _____
ACCESSION _____ VOL ²⁶ _____ PAGE(S) ¹¹ _____
BOX/BOÎTE _____ REEL/BOBINÉ _____
FILE/DOSSIER Old Reports, Maps etc. Quartz Creek No. 7. 1933-48 _____
DATE March 2014 _____