

















Panel N°1 of 2



Legend

- Original Dredge Limit
- Revised Dredge Limit
- Drill Hole Number
- Depth of Muck in Feet
- Depth of D.S. in Feet
- per Cuyd. of D.S. @ 20' 6"
- 14-31-6.7
- 11.3
- per Cuyd. of D.S. @ 35' 2"
- Pay Hole
- Marginal Hole
- Will not pay to strip, thaw and dredge

YUKON CONS. GOLD CORP. LTD.
DAWSON, Y.T.

Upper Sulphur
Original and Revised
Dredge Limits

W.H.S. 1935
P.S.C.
June 21-35
CHECKED

6 5-1-0.0
4 0-19-0.0
2 31-5-77
1 24-6-77

6 5-4-0.0
4 19-6-13.9
2 32-11-4.5
1 11-5-0.0

12 24-3-0.0
10 25-8-3.4
8 32-5-26.3
6 34-5-4.7
4 18-8-0.0
2 28-3-3.1
1 10-2-0.0

6 12-13-0.0
4 12-20-16.8
2 20-21-0.0
1 21-4-0.0
3 3-1-0.0
5 3-1-0.0

4 50-2-4.3
2 31-7-0.0
1 21-5-1.9
3 2-10-0.0
5 2-1-0.0

4 32-4-0.0
3 35-5-36.5
1 18-9-37.6
5 5-10-0.0
5 8-6-0.0

1 14-9-47.1
3 24-7-45.1
5 6-2-0.0
7 4-2-0.0

A41

A40

A39


A38

A37


A36

A35

A34



Panel No 2 of 2



Legend

- Original Dredge Limit
- - - Revised Dredge Limit
- Drill Hole Number
- Depth of Mud in Feet
- Depth of D.S. in Feet
- 4 per Cent of D.S. 320 67
- 14-31-6-7
- 11-3
- 4 per Cent of D.S. 35 02
- Pay Hole
- Marginal Hole
- Will not pay to strip, thaw and dredge

YUKON CONS. GOLD CORP. LTD.
DAWSON, Y.T.

Upper Sulphur
Original and Revised
Dredge Limits

DRAWN W. H. S. M. P. 1" = 200'
TRACED A.S.C.
DATE June 21-55
CHECKED